



**US Environmental Protection Agency
Office of Pesticide Programs**

**Reregistration Eligibility Decision
for Chlormequat Chloride**

September 27, 2007



United States
Environmental Protection
Agency

Prevention, Pesticides
and Toxic Substances
(7508P)

EPA 738-R-07-014
2007
OPP-2007-0968

Reregistration Eligibility Decision for Chloromequat Chloride

Reregistration Eligibility Decision (RED) Document for
Chloromequat Chloride

List C

Case Number 3003

Approved by:



Steven Bradbury, Ph. D.

Director

Special Review and Reregistration Division

Date:

Sept 27, 2007

TABLE OF CONTENTS

Glossary of Terms and Abbreviations	v
Abstract.....	1
I. Introduction.....	2
II. Chemical Overview	2
A. Regulatory History.....	3
B. Chemical Identification of Chlormequat Chloride	3
C. Use Profile	5
III. Summary of Chlormequat Chloride Risk Assessment.....	5
IV. Risk Management, Reregistration, and Tolerance Reassessment Decision	5
A. Determination of Reregistration Eligibility	5
B. Public Comments and Responses	6
C. Regulatory Position.....	6
V. What Registrants Need to Do	11
A. Manufacturing Use Products.....	11
B. End-Use Products.....	12
VI. Appendices.....	17
Appendix A. Use Patterns Eligible for Reregistration for chlormequat chloride	18
Appendix B.....	21
Data Supporting Guideline Requirements for the Reregistration of chlormequat chloride.....	21
Appendix C. Technical Support Documents.....	23
Appendix D. Citations Considered to be Part of the Database Supporting the Reregistration Decision (Bibliography).....	24
Appendix E. Product Data Call-In (PDCI)	58
Appendix F. EPA’s Batching of chlormequat chloride Products for Meeting Toxicity Data Requirements for Reregistration.....	59
Appendix G. List of Available Related Documents and Electronically Available Documents	61
Appendix H. Data Required to Support the Outdoor Uses of Chlormequat Chloride.....	65

Chlormequat Chloride Reregistration Eligibility Decision Team

Biological and Economic Analysis Assessment

Jenna Carter

Health Effects Risk Assessment

Charles Smith

Donald Wilbur

Judy Facey

Elissa Reaves

Environmental Fate and Effects Risk Assessment

Marietta Echeverria

Brian Kiernan

Registration Support

Tony Kish

Robert Westin

Risk Management

Joy Schnackenberg

Anne Overstreet

Office of General Counsel

Scott Garrison

Glossary of Terms and Abbreviations

AGDCI	Agricultural Data Call-In
ai	Active Ingredient
aPAD	Acute Population Adjusted Dose
AR	Anticipated Residue
BCF	Bioconcentration Factor
CFR	Code of Federal Regulations
cPAD	Chronic Population Adjusted Dose
CSF	Confidential Statement of Formula
CSFII	USDA Continuing Surveys for Food Intake by Individuals
DCI	Data Call-In
DEEM	Dietary Exposure Evaluation Model
DFR	Dislodgeable Foliar Residue
DWLOC	Drinking Water Level of Comparison.
EC	Emulsifiable Concentrate Formulation
EEC	Estimated Environmental Concentration
EPA	Environmental Protection Agency
EUP	End-Use Product
FDA	Food and Drug Administration
FIFRA	Federal Insecticide, Fungicide, and Rodenticide Act
FFDCA	Federal Food, Drug, and Cosmetic Act
FQPA	Food Quality Protection Act
FOB	Functional Observation Battery
G	Granular Formulation
GENEEC	Tier I Surface Water Computer Model
GLN	Guideline Number
HAFT	Highest Average Field Trial
IR	Index Reservoir
LC ₅₀	Median Lethal Concentration. A statistically derived concentration of a substance that can be expected to cause death in 50% of test animals. It is usually expressed as the weight of substance per weight or volume of water, air or feed, e.g., mg/l, mg/kg or ppm.
LD ₅₀	Median Lethal Dose. A statistically derived single dose that can be expected to cause death in 50% of the test animals when administered by the route indicated (oral, dermal, inhalation). It is expressed as a weight of substance per unit weight of animal, e.g., mg/kg.
LOC	Level of Concern
LOD	Limit of Detection
LOAEL	Lowest Observed Adverse Effect Level
MATC	Maximum Acceptable Toxicant Concentration
µg/g	Micrograms Per Gram
µg/L	Micrograms Per Liter
mg/kg/day	Milligram Per Kilogram Per Day
mg/L	Milligrams Per Liter
MOE	Margin of Exposure

MRID	Master Record Identification (number)
MUP	Manufacturing-Use Product
NA	Not Applicable
NAWQA	USGS National Water Quality Assessment
NPDES	National Pollutant Discharge Elimination System
NR	Not Required
NOAEL	No Observed Adverse Effect Level
OP	Organophosphate
OPP	EPA Office of Pesticide Programs
OPPTS	EPA Office of Prevention, Pesticides and Toxic Substances
PAD	Population Adjusted Dose
PCA	Percent Crop Area
PDP	USDA Pesticide Data Program
PHED	Pesticide Handler's Exposure Data
PHI	Preharvest Interval
ppb	Parts Per Billion
PPE	Personal Protective Equipment
ppm	Parts Per Million
PRZM/EXAMS	Tier II Surface Water Computer Model
Q ₁ *	The Carcinogenic Potential of a Compound, Quantified by the EPA's Cancer Risk Model
RAC	Raw Agriculture Commodity
RED	Reregistration Eligibility Decision
REI	Restricted Entry Interval
RfD	Reference Dose
RQ	Risk Quotient
SCI-GROW	Tier I Ground Water Computer Model
SAP	Science Advisory Panel
SF	Safety Factor
SLC	Single Layer Clothing
SLN	Special Local Need (Registrations Under Section 24(c) of FIFRA)
TGAI	Technical Grade Active Ingredient
TRR	Total Radioactive Residue
USDA	United States Department of Agriculture
USGS	United States Geological Survey
UF	Uncertainty Factor
UV	Ultraviolet
WPS	Worker Protection Standard

Abstract

This document presents the Environmental Protection Agency's (EPA or the Agency) decision regarding the reregistration eligibility of the registered uses of the active ingredient chlormequat chloride. The Agency has conducted human health and environmental fate and effects risk assessments and has determined that chlormequat chloride-containing products are eligible for reregistration provided that the risk mitigation measures outlined in this document are adopted and label amendments are made to reflect these measures.

Chlormequat chloride is a plant growth regulator (PGR) registered for use on ornamental plants grown in greenhouses, nurseries and shadehouses. As chlormequat chloride has no food/feed uses and no U.S. tolerances associated with its use, it is not subject to the Food Quality Protection Act of 1996.

The Agency concludes that there is no concern for potential acute or chronic dietary exposure from drinking water associated with the registered non-food uses of chlormequat chloride. All handler and postapplication occupational risks for chlormequat chloride are below the Agency's level of concern as well.

The Agency, using a screening level assessment, has identified potential ecological risks of concern associated with the current registered uses of chlormequat chloride for birds, amphibians, reptiles, mammals, and fish. To reduce these potential exposures and to address current risks of concern, the Agency has directed, and the registrant has agreed to prohibit the use of mechanical (tractor-drawn) multi-nozzle sprayer applications (groundboom), the application method of concern. The Agency is also requiring appropriate data to confirm the decision presented in this Reregistration Eligibility Decision (RED). Please see Appendix H for additional data required to support the outdoor uses of chlormequat chloride, including the groundboom application method.

I. Introduction

The Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) was amended in 1988 to accelerate the reregistration of products with active ingredients registered prior to November 1, 1984. The amended act calls for the development and submission of data to support the reregistration of an active ingredient, as well as a review of all data submitted to the Environmental Protection Agency (hereafter referred to as EPA or the Agency). Reregistration involves a thorough review of the scientific database underlying a pesticide's registration. The purpose of the Agency's review is to reassess the potential risks arising from the currently registered uses of a pesticide, to determine the need for additional data on health and environmental effects, and to determine whether or not the pesticide meets the "no unreasonable adverse effects" criteria of FIFRA. As chlormequat chloride has no food/feed uses and no U.S. tolerances associated with its use, it is not subject to the Food Quality Protection Act of 1996.

This document, consisting of five sections, presents the EPA decision regarding the reregistration eligibility of the registered uses of chlormequat chloride. Section I contains the regulatory framework for reregistration; Section II provides an overview of the chemical and a profile of its use and usage; Section III provides a reference to the human health and environmental fate and ecological risk assessments; and Section IV presents the Agency's decision on reregistration eligibility and risk management. Where labeling revisions are warranted, specific language is set forth in the summary table in Section V of this document. Finally, Section VI contains the appendices, which list related information, supporting documents, and studies evaluated for the reregistration decision. The risk assessments for chlormequat chloride and other supporting documents are available in the Office of Pesticide Program (OPP) public docket (<http://www.regulations.gov>) under docket number EPA-HQ-OPP-2007-0968

As a result of this review, the Agency has determined that all currently registered products containing the active ingredient chlormequat chloride are eligible for reregistration provided that the risk mitigation measures outlined in this document are adopted and label amendments are made to reflect these measures.

II. Chemical Overview

Chlormequat chloride, [(2-chloroethyl) trimethylammonium chloride] is a plant growth regulator (PGR) that belongs to the quaternary ammonium class of chemicals. Chlormequat chloride works through inhibition of a plant hormone's biosynthesis, which is useful in regulating the growth characteristics of many plants. This early blockage prevents the synthesis of numerous plant hormones needed for normal plant growth and development. It is formulated as a soluble concentrate/liquid (SC/L). The product is applied to ornamental plants grown in greenhouses, nurseries and shadehouses. Outdoor use is restricted to containerized ornamentals. Table 1 includes a description of application methods and rates that are currently registered for chlormequat chloride.

Table 1. Chlormequat Chloride Use Patterns and Formulations

Formulation	Use Site	Method of Application	Application Rate	Label Restrictions
CYCOCEL® Plant Growth Regulator - liquid (11.8% a.i.) For Commercial Use EPA Reg #241-74	Shadehouses and nurseries	foliar spray by low pressure handwand, backpack sprayer, or groundboom	0.017 lb ai/gal (at 2,000 ppm) 3.7 lb ai/A (at 2,000 ppm and 1 gal/200 ft ²) or 5.5 lb ai/A (at 2,000 ppm and 1.5 gal/200 ft ² – only for larger plants with well defined canopies)	Do not apply through any type of irrigation equipment. Apply only to containerized plants. Do not apply as a soil drench.
	Greenhouse	foliar spray by low pressure handwand, backpack sprayer	0.013 lb ai/gal (at 1,500 ppm)	Do not apply through any type of irrigation equipment.
	Greenhouse	drench by high pressure handwand	0.025 lb ai/gal (at 3,000 ppm)	Do not apply through any type of irrigation equipment.
Chlormequat E-Pro Plant Growth Regulator - liquid (11.8% a.i.) For Commercial Use EPA Reg # 81959-12	Greenhouse	foliar spray by low pressure handwand, backpack sprayer	0.034 lb ai/gal (at 4,000 ppm)	
	Greenhouse	drench by high pressure handwand	0.034 lb ai/gal (at 4,000 ppm)	

A. Regulatory History

The first chlormequat chloride registration was issued to BASF by the U.S. Department of Agriculture in 1962. This initial use was restricted to greenhouses. In 2006, the Agency assessed the human health and ecological effects of a proposed outdoor use and amended the registration of chlormequat chloride to include bedding plants and ornamentals in shadehouses and nurseries.

B. Chemical Identification of Chlormequat Chloride

Tables 2 and 3 provide an overview of chlormequat chloride’s structure and properties.

Table 2. Test Compound Nomenclature	
Chemical Structure	
Empirical Formula	C ₅ H ₁₃ Cl ₂ N
Common Name	Chlormequat chloride
Company Experimental Name	N/A
IUPAC Name	2-chloroethyl trimethyl ammonium chloride
CAS Name	2-chloro- <i>N,N,N</i> -trimethylethanaminium chloride
CAS Registry Number	999-81-5
End-use Product/EP	CYCOCEL [®] Plant Growth Regulator
Chemical Class	quaternary ammonium compound
Use Type	plant growth regulator
Known Impurities of Concern	N/A

Table 3. The Physicochemical Properties of Chlormequat Chloride		
Parameter	Value	Reference
Molecular Weight	158.1	MSDS CYCOCEL [®] Plant Growth Regulator by BASF Canada, 08/15/2000
Melting Point	245°C	MSDS CYCOCEL [®] Plant Growth Regulator by BASF Canada, 08/15/2000
pH	5.14	MSDS CYCOCEL [®] Plant Growth Regulator by BASF Canada, 08/15/2000
Density	1.241 g/ml	Study: Surface Tension, Density and Vapour Pressure of Chlormequat-Chloride (PAI) by BASF Germany, 03/27/2001
Water Solubility (20° C)	74 g/100 ml	MSDS CYCOCEL [®] Plant Growth Regulator by BASF Canada, 08/15/2000
Surface Tension	70.3 mN/m	Study: Surface Tension, Density and Vapour Pressure of Chlormequat-Chloride (PAI) by BASF Germany, 03/27/2001
Vapor Pressure (20°C)	<1.0 x 10 ⁻⁸ mbar	Study: Surface Tension, Density and Vapour Pressure of Chlormequat-Chloride (PAI) by BASF Germany, 03/27/2001
Octanol/water partition coefficient, log K _{OW} (25°C)	Not Applicable	MSDS CYCOCEL [®] Plant Growth Regulator by BASF Canada, 08/15/2000

C. Use Profile

Type of Pesticide:	Plant growth regulator
Summary of Use:	Chlormequat chloride is currently registered for use on a wide variety of ornamentals grown in greenhouses, shadehouses, and nurseries. Crops include herbaceous and woody annual and perennial plants such as begonias, vincas, azaleas, and poinsettias. Outdoor use is restricted to containerized ornamentals. Chlormequat chloride has no residential or food uses; therefore, there are no associated tolerances.
Formulation Type:	Soluble concentrate liquid
Application Methods:	Chlormequat chloride applications are applied using several types of application equipment -- including groundbooms, low-pressure handwands, backpack sprayers, and high-pressure handwands.
Common Trade Names:	Cycocel Plant Growth Regulant, ET-012, Chlormequat E-Pro Plant Growth Regulator
Basic Manufacturer(s):	BASF Corporation, Etigra LLC

III. Summary of Chlormequat Chloride Risk Assessment

Human health effects and environmental fate and effects assessments have been performed for chlormequat chloride. The Agency did not identify any human health risks of concern based on current use patterns and label restrictions. The environmental fate and effects assessment demonstrates potential environmental risks of concern resulting from the outdoor nursery use of chlormequat chloride. The full risk assessments and related supporting documents are not included in this document. For additional information, please refer to the revised human health and environmental fate and effects risk assessments for chlormequat, dated June 12, 2007, and April 11, 2007, respectively. These documents are also available in the public docket EPA-HQ-OPP-2007-0968 located on-line at <http://www.regulations.gov>.

IV. Risk Management, Reregistration, and Tolerance Reassessment Decision

A. Determination of Reregistration Eligibility

Section 4(g)(2)(A) of FIFRA calls for the Agency to determine, after submission of relevant data concerning an active ingredient, whether or not products containing the active ingredient are eligible for reregistration. The Agency has previously identified and required the submission of the generic (i.e., active ingredient-specific) data required to support the reregistration of products containing chlormequat chloride as an active ingredient.

The Agency has completed its review of submitted data and its assessment of the dietary (drinking water only), occupational and ecological risks associated with the use of pesticide products containing the active ingredient chlormequat chloride. Dietary (food) risks were not assessed because there are no food/feed uses of chlormequat chloride. Based on a review of the chlormequat chloride data, the Agency has sufficient information on the human health and ecological effects of chlormequat chloride to make decisions as part of the reregistration process under FIFRA. The Agency has determined that currently registered uses of chlormequat chloride will not pose unreasonable risks or adverse effects to humans or the environment provided that the risk mitigation measures and label changes outlined in this RED are implemented; therefore, products containing chlormequat chloride are eligible for reregistration.

Products containing chlormequat chloride are eligible for reregistration provided that the risk mitigation measures outlined in the document are adopted, and label amendments are made to implement these measures. Additionally, outstanding data requirements, as identified as part of the November 2006 conditional registration for the outdoor use, must be submitted by June 2009. Label changes are described in Section V of this document. Appendix B identifies the generic data that the Agency reviewed as part of its determination of the reregistration eligibility of chlormequat chloride and lists the submitted studies that the Agency found acceptable.

Based on its evaluation of chlormequat chloride, the Agency has determined that chlormequat chloride products, unless labeled and used as specified in this document, would present risks inconsistent with FIFRA. Accordingly, should a registrant fail to implement any of the risk mitigation measures identified in this document, the Agency may take regulatory action to address the risk concerns from the use of chlormequat chloride. If all changes outlined in this document are incorporated into the product labels, then current risks for chlormequat chloride will be adequately mitigated for the purposes of this determination under FIFRA. Once a comprehensive endangered species assessment is completed, further changes to these registrations may be necessary.

B. Public Comments and Responses

Because the risks associated with the use of chlormequat chloride were minimal, a public comment period on the chlormequat chloride risk assessments was not conducted. A 60-day public comment period will be conducted after the RED is issued, and will be announced in the Federal Register. Comments may be submitted under Docket Number EPA-HQ-OPP-2007-0968 at <http://www.regulations.gov>. The Agency will review and consider these comments and amend the RED if appropriate. In addition, the chlormequat chloride RED document may be accessed through the Agency's website at <http://www.epa.gov/pesticides/reregistration/status.htm>.

C. Regulatory Position

1. Regulatory Rationale

The Agency has determined that chlormequat chloride is eligible for reregistration provided the risk mitigation measures outlined in this document are adopted and label amendments are made to reflect these measures.

The following is a summary of the rationale for managing risks associated with the use of chlormequat chloride. Where labeling revisions are warranted, specific language is set forth in the summary table in Section V of this document.

a. Human Health Risk Management and Mitigation

No risks associated with the use of chlormequat chloride exceed the Agency's level of concern for human health effects. Therefore, no additional mitigation is required to address risks of human health.

For additional details on the chlormequat chloride human health risk assessment, please refer to the human health risk assessments for chlormequat chloride. This document is available in the public docket EPA-HQ-OPP-2007-0968, located on-line in the Federal Docket Management System (FDMS) at <http://www.regulations.gov>.

1. Drinking Water Risk Mitigation

There is no concern for potential acute and chronic dietary exposure from drinking water associated with the registered non-food uses of chlormequat chloride.

2. Occupational Risk Mitigation

All handler and postapplication occupational risks for chlormequat chloride are below the Agency's level of concern (LOC).

b. Ecological Risk Management and Mitigation

For additional details on the chlormequat chloride ecological fate and effects risk assessment, please refer to the ecological risk assessment for chlormequat chloride. This document is available in the public docket EPA-HQ-OPP-2007-0968, located on-line in the Federal Docket Management System (FDMS) at <http://www.regulations.gov>.

The Agency has conducted a screening-level ecological and environmental risk assessment for the registered outdoor use of chlormequat chloride. Based on the available data and using conservative assumptions, the outdoor use of chlormequat chloride may pose acute and subchronic risks of concern to birds, reptiles, terrestrial-phase amphibians, mammals, and both terrestrial and aquatic plants. Because chlormequat chloride is classified as practically nontoxic to freshwater fish and estuarine marine fish, the acute risk for freshwater fish and estuarine marine fish is presumed to be low. Chlormequat chloride is classified as practically nontoxic to honey bees (*Apis mellifera*) on both an acute contact and acute oral basis.

The available data indicate that chlormequat chloride is slightly toxic to birds, reptiles and terrestrial phase amphibians on an acute exposure basis. Due to an absence of data, avian terrestrial risk quotients (RQs) were considered representative of potential exposure for terrestrial-phase amphibians and reptiles. Dose-based RQs range from 6.9 for small birds (20g) foraging on short grass to 0.06 for large (1000g) birds foraging on fruit/pods/large insects. The acute avian LOC is exceeded for all size classes foraging on short grass, tall grass and broadleaf plants/small insects. A “no observed adverse effect concentration” (NOAEC) could not be determined in the avian reproduction study because effects were seen at the lowest dose tested; therefore, definitive chronic RQ values could not be calculated. However, calculating with the lowest dose tested provides an indication of the minimum extent to which LOCs are exceeded. RQ values calculated using the lowest dose tested exceed the chronic risk LOC ($RQ \geq 1.0$) for all forage groups. The chronic LOC is exceeded by a factor of greater than 15X for birds foraging on short grass.

Chlormequat chloride is slightly toxic to mammals on an acute oral exposure basis. Mammalian RQs range from 0.01 for large (1000g) granivorous mammals to 2.2 for small (15g) mammals foraging on short grass, a 4-fold exceedance of the acute risk LOC ($RQ \geq 5$). There are exceedances of the acute risk LOC for all size classes foraging on short grass and broadleaf plant/small insects and for small- and medium-sized mammals foraging on tall grass. Dose-based RQs exceed the Agency’s chronic risk LOC (1.0) for all size classes of mammals foraging on short grass, tall grass and broadleaf plants/small insects, by factors ranging from 3X to 12X.

For a single application of chlormequat chloride (3.7 lbs ai/A) the terrestrial plant LOC (1.0) is exceeded for dicotyledonous plants in wetlands adjacent to chlormequat use sites. There are no exceedances for adjacent upland species or as a result of drift alone.

While there are estimated exceedances of the LOC for some terrestrial and aquatic species, the ecological risks associated with the use of chlormequat chloride are expected to be extremely limited based on its use pattern and toxicity profile. Chlormequat chloride is not a widely used chemical. Due to the high cost of the treatment, the outdoor use is a niche use applied only on high value outdoor ornamentals with very limited acreage. The indoor uses, comprising approximately 97% of usage, such as use in greenhouses, interior landscapes and others, do not result in environmental exposure.

In addition to chlormequat chloride’s low outdoor usage, the Agency’s ecological and environmental risk assessment was conservative. This high-end, screening level assessment for

the outdoor use assumed maximum application rates allowed by the label, and the minimum application intervals for chlormequat chloride. Furthermore, the models and scenarios used in this assessment were developed to simulate pesticide applications in open agricultural fields and not specifically for containerized ornamentals and bedding plants in nurseries and shadehouses, which generally are not present in large contiguous acreages.

Foliar application of chlormequat chloride to plants in containers is distinct from other outdoor use applications in that residues on treated foliage, in general, are not likely to be available to wildlife because of the high value and protected nature of the plants. The plants are held close together, and they are typically placed on bare ground, gravel or landscape barrier fabric where non-target plants cannot grow. Based on the typical density of the pots, 90% of the material applied will be intercepted by the foliage of the potted plant. When the ornamentals are initially placed outdoors they are free of insects and weeds. Each plant has a high value and will receive treatment for insects, if necessary, and weeds will not be allowed to grow in the containers.

Moreover, the use in nurseries is for containerized plants, which is expected to limit the amount of potential exposure from runoff and drift. Runoff is reduced in nurseries by wastewater containment programs currently in place, which further reduces risk to aquatic organisms. While there are currently no studies that can be used to quantify the effects of nursery wastewater containment practices, these practices are believed to be effective in reducing risk to non-target species. The Agency is aware that most container nurseries use a variety of methods to control water runoff from nursery operations including grassed waterways, sediment control ponds, constructed wetlands, and irrigation runoff water recycling ponds. The practice of retaining water onsite is being driven by two factors: 1) the Clean Water Act and states' regulatory efforts regarding non-point pollution control and storm water management, and 2) water shortages that are appearing in various sections of the US, such as Florida, where nurseries need to insure a consistent supply of irrigation water. Furthermore, the Agency understands through discussions with the American Nursery Landscape Association that all new container nursery operations under development are being designed for zero or minimum offsite water discharge.

Despite chlormequat chloride's limited use, in order to ensure that the outdoor use of chlormequat chloride does not result in terrestrial and aquatic exposure, the Agency has directed, and the registrant has agreed, to modify the chlormequat chloride label to prohibit the use of mechanical (tractor-drawn) groundboom multi-nozzle sprayer applications. The technical registrant, BASF, submitted an amended label on September 11, 2007 with the groundboom application method removed. The Agency approved the amended label on September 19, 2007. This change will limit the outdoor application of chlormequat chloride to hand wand use only. It is recognized that hand wand application is more targeted, resulting in less of the pesticide being available for potential runoff, and less drift with associated potential for off-target exposures. Furthermore, applicators using hand wands do not treat large contiguous acreages in a short time frame as is typical for tractor mounted groundbooms. Specific language prohibiting this application method is set forth in the summary table in Section V of this document.

Additionally, the technical registrant has agreed to submit a freshwater fish life-cycle study and an avian reproduction study by June 1, 2009, as outlined in a November 2006 letter from the Agency to the technical registrant. These studies will fill current data gaps and confirm the Agency's belief that there is no unreasonable adverse effect to the environment from the use of chlormequat chloride. Please see Appendix H for additional data required to support the outdoor uses of chlormequat chloride, including the groundboom application method.

2. Endocrine Disruptor Effects

EPA is required under the FFDCA, as amended by FQPA, to develop a screening program to determine whether certain substances (including all pesticide active and other ingredients) *"may have an effect in humans that is similar to an effect produced by a naturally occurring estrogen, or other such endocrine effects as the Administrator may designate."* Following the recommendations of its Endocrine Disruptor Screening and Testing Advisory Committee (EDSTAC), EPA determined that there were scientific bases for including, as part of the program, androgen and thyroid hormone systems, in addition to the estrogen hormone system. EPA also adopted EDSTAC's recommendation that the Program include evaluations of potential effects in wildlife. When the appropriate screening and/or testing protocols being considered under the Agency's Endocrine Disruptor Screening Program (EDSP) have been developed and vetted, chlormequat chloride may be subjected to additional screening and/or testing to better characterize effects related to endocrine disruption.

3. Endangered Species Considerations

a. The Endangered Species Program

The Endangered Species Act requires federal agencies to ensure that their actions are not likely to jeopardize listed species or adversely modify designated critical habitat. The Agency has developed the Endangered Species Protection Program to identify pesticides whose use may cause adverse impacts on threatened and endangered species, and to implement mitigation measures that address these impacts. To analyze the potential of registered pesticide uses that may affect any particular species, the Agency uses basic toxicity and exposure data developed for the REDs and then considers ecological parameters, pesticide use information, geographic relationship between specific pesticide uses and species locations, and biological requirements and behavioral aspects of the particular species. When conducted, this species-specific analysis will also consider the risk mitigation measures that are being implemented as a result of this RED.

Following this future species-specific analysis, a determination that there is a likelihood of potential effects to a listed species may result in limitations on use of the pesticide, other measures to mitigate any potential effects, or consultations with the Fish and Wildlife Service and/or the National Marine Fisheries as appropriate. If the Agency determines use of chlormequat chloride "may affect" listed species or their designated critical habitat, the Agency will employ the provisions in the Services' regulations (50 CFR Part 402). Until the species-specific analysis is completed, the risk mitigation measures being implemented through this RED will reduce the likelihood that endangered and threatened species may be exposed to

chlormequat chloride at levels of concern. The Agency is not requiring specific chlormequat chloride label language at the present time relative to threatened and endangered species. If, in the future, specific measures are necessary for the protection of listed species, the Agency will implement them through the Endangered Species Program.

At this time, the Agency is not requiring label changes specific to the protection of listed species. While RQs exceeded the Agency's endangered species LOC for several taxa, including birds, mammals and both aquatic and terrestrial plants, these results are likely to be conservative due to the limited use of chlormequat chloride and the prohibition of ground boom application. These results were also based on a screening-level assessment, and do not constitute "may affect" findings under the Endangered Species Act. After a species-specific assessment is conducted, a determination that there is a likelihood of potential effects to a listed species may result in limitations on the use of the pesticide, other measures to mitigate any potential effects, or consultations with the Fish and Wildlife Service or National Marine Fisheries Service as appropriate.

4. Spray Drift Management

The Agency has been working closely with stakeholders to develop improved approaches for mitigating risks to human health and the environment from pesticide spray and dust drift. As part of the reregistration process, the EPA will continue to work with all interested parties on this important issue.

Because the outdoor use of chlormequat chloride is limited to direct, low-pressure, handwand application to containerized ornamentals, the Agency concludes that spray drift mitigation is not warranted as part of the reregistration eligibility determination.

5. Other Labeling Requirements

In order to be eligible for reregistration, various use and safety information will be included in the labeling of all end-use products containing chlormequat chloride. For the specific labeling statements and a list of outstanding data, refer to Section V of this document

V. What Registrants Need to Do

The Agency has determined that chlormequat chloride is eligible for reregistration provided that the risk mitigation measures identified in this document are adopted and label amendments are made to reflect these measures; however, additional data are required to confirm this decision. The submission of this data was a condition for a previous label amendment granted by the Agency for the outdoor use of chlormequat chloride. The registrant has committed to completing and submitting these studies by June 2009. For product specific data, the registrant will have 8 months to submit data and amend labels.

A. Manufacturing Use Products

1. Additional Generic Data Requirements

The generic database supporting the reregistration of chlormequat chloride has been reviewed and determined to be adequate for this reregistration assessment. In order to reduce the uncertainty in the ecological risk assessment, BASF has already agreed to submit data conditional on their recent amendment to the chlormequat chloride registration, which adds shadehouses and nurseries to the accepted use of chlormequat chloride labeled use sites.

2. Labeling for Manufacturing-Use Products

To ensure compliance with FIFRA, technical and manufacturing use products (MP) labeling should be revised to comply with all current EPA regulations, PR Notices and applicable policies. In order to be eligible for reregistration, the technical registrants should amend all product labels to incorporate the risk mitigation measures outlined in Section IV. The technical and MP labeling should also bear the labeling statements contained in Table 4, the Label Changes Summary Table.

B. End-Use Products

1. Additional Product-Specific Data Requirements

Section 4(g)(2)(B) of FIFRA calls for the Agency to obtain any needed product-specific data regarding the pesticide after a determination of eligibility has been made. The Registrant must review previous data submissions to ensure that they meet current EPA acceptance criteria and if not, commit to conduct new studies. If a registrant believes that previously submitted data meet current testing standards, then the study MRID numbers should be cited according to the instructions in the Requirement Status and Registrants Response Form provided for each product. The Agency intends to issue a product-specific data call-in (PDCI), outlining specific data requirements.

2. Labeling for End-Use Products

Labeling changes are necessary to implement measures outlined in Section IV above. Specific language to incorporate these changes is specified in the Label Changes Summary Table below.

3. Labeling Changes Summary Table

The following table describes how language on the labels should be amended.

Labeling Changes Summary Table

In order to be eligible for reregistration, amend all product labels to incorporate the risk mitigation measures outlined in Section IV. The following table describes how language on the labels should be amended.

Table 4: Summary of Labeling Changes for Chlormequat Chloride		
Description	Amended Labeling Language	Placement on Label
Manufacturing Use Products		
For all Manufacturing Use Products	<p>“Only for formulation into a plant growth regulator for the following use(s) [fill blank only with those uses that are being supported by MP registrant].”</p> <p>“Not for formulation into end-use products that permit application with motorized groundboom equipment at outdoor sites.”</p>	Directions for Use
One of these statements may be added to a label to allow reformulation of the product for a specific use or all additional uses supported by a formulator or user	<p>“This product may be used to formulate products for specific use(s) not listed on the MP label if the formulator, user group, or grower has complied with U.S. EPA submission requirements regarding support of such use(s).”</p> <p>“This product may be used to formulate products for any additional use(s) not listed on the MP label if the formulator, user group, or grower has complied with U.S. EPA submission requirements regarding support of such use(s).”</p>	Directions for Use
Environmental Hazards Statements Required by the RED and	"Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing	Precautionary Statements

Agency Label Policies	prior to discharge. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate"	
End Use Products Intended for Occupational Use		
PPE Requirements Established by the RED ¹ For Liquid Formulations	<p>“Personal Protective Equipment (PPE)”</p> <p>“Some materials that are chemical-resistant to this product are” <i>(registrant inserts correct chemical-resistant material)</i>. “If you want more options, follow the instructions for category” <i>[registrant inserts A,B,C,D,E,F,G,or H]</i> “on an EPA chemical-resistance category selection chart.”</p> <p>“All mixers, loaders, applicators and other handlers must wear:</p> <ul style="list-style-type: none"> ○ Long-sleeved shirts and long pants, ○ Shoes plus socks.” 	Immediately following/below Precautionary Statements: Hazards to Humans and Domestic Animals
User Safety Requirements	<p>“Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.”</p> <p>“Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product’s concentrate. Do not reuse them.”</p>	Precautionary Statements: Hazards to Humans and Domestic Animals immediately following the PPE requirements
User Safety Recommendations	<p>“User Safety Recommendations</p> <p>Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.</p> <p>Users should remove clothing/PPE immediately if pesticide gets inside.</p>	Precautionary Statements under: Hazards to Humans and Domestic Animals immediately following Engineering Controls

	<p>Then wash thoroughly and put on clean clothing.</p> <p>Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.”</p>	(Must be placed in a box.)
Environmental Hazards	<p>“This product is toxic to wildlife.”</p> <p>“Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.”</p> <p>“Keep out of lakes, streams and ponds. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas spray.”</p> <p>For products packaged in containers equal to or greater than 5 gallons or 50 lbs, add the following statement:</p> <p>“Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.”</p>	Precautionary Statements immediately following the User Safety Recommendations
Restricted-Entry Interval for products with directions for use within scope of the Worker Protection Standard for Agricultural Pesticides (WPS)	<p>“Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.”</p>	Directions for Use, Under Agricultural Use Requirements Box
Early Entry Personal	<p>“PPE required for early entry to treated areas that is permitted under the</p>	

Protective Equipment for products with directions for use within the scope of the WPS	Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: * coveralls, * shoes plus socks * chemical-resistant gloves made of any waterproof material.”	Direction for Use Agricultural Use Requirements box
General Application Restrictions	“Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.”	Place in the Direction for Use directly above the Agricultural Use Box.
Other Application Restrictions (Risk Mitigation)	“Application with motorized groundboom equipment in outdoor sites is prohibited.” Apply using handheld nozzles or hand-held equipment, such as low-pressure handwand equipment.	Directions for Use

¹ PPE that is established on the basis of Acute Toxicity of the end-use product must be compared to the active ingredient PPE in this document. The more protective PPE must be placed in the product labeling. For guidance on which PPE is considered more protective, see PR Notice 93-7.

VI. Appendices

Appendix A. Use Patterns Eligible for Reregistration for chlormequat chloride								
Application Timing Application Equipment Application Type	Formulation	Maximum Single Application Rate	Maximum No. Of Applications per Year	Maximum Seasonal Rate	Pre-harvest Interval (days)	Minimum Retreatment interval (days)	Reentry Interval	Limitations
Ornamental and/or Shade Trees								
Containerized Drench. Drencher. Foliar Spray. Sprayer.	Soluble Concentrate/ liquid	0.0339 lb gal	NS	NS		NS	12 hr	Do not apply through any type of irrigation system Do not apply when drift is likely to occur. Do not contaminate food or feed by storage or disposal. Do not contaminate water by cleaning of equipment or disposal of equipment wash waters. Keep out of lakes, streams, and ponds. This pesticide is toxic to wildlife.
Ornamental and/or Shade Trees								
Foliar Spray. Sprayer.	Soluble Concentrate/ liquid	3.7 lb ai/A	NS	NS		NS	12 hr	Do not apply through any type of irrigation equipment. Apply only to containerized plants. Do not apply as a soil drench
Ornamental and/ or Shade Trees								
Potted Drench /Spray. Drencher /Sprayer.	Soluble Concentrate/ liquid	0.0625 lb pot	NS	NS		NS	12 hr	Do not apply through any type of irrigation system Do not apply when drift is likely to occur. Do not contaminate food or feed by storage or disposal. Do not contaminate water by cleaning of equipment or disposal of equipment wash waters. Keep out of lakes, streams, and ponds. This pesticide is toxic to wildlife.
Ornamental Herbaceous Plants								
Foliar Spray.Sprayer Plant bed Drench /Spray. Drencher /Sprayer.	Soluble Concentrate/ liquid	0.0339 lb gal	NS	NS		NS	12 hr	Do not apply through any type of irrigation system Do not apply when drift is likely to occur. Do not contaminate food or feed by storage or disposal. Do not contaminate water by cleaning of equipment or disposal of equipment wash waters. Keep out of lakes, streams, and ponds.

								This pesticide is toxic to wildlife.
Ornamental Herbaceous Plants								
Foliar Spray. Sprayer.	Soluble Concentrate/ liquid	3.7 lb ai/A	NS	NS		NS	12 hr	Do not apply through any type of irrigation equipment. Apply only to containerized plants. Do not apply as a soil drench
Ornamental Herbaceous Plants								
Potted Drench /Spray. Drencher /Sprayer.	Soluble Concentrate/ liquid	0.0625 lb pot	NS	NS		NS	12 hr	Do not apply through any type of irrigation system Do not apply when drift is likely to occur. Do not contaminate food or feed by storage or disposal. Do not contaminate water by cleaning of equipment or disposal of equipment wash waters. Keep out of lakes, streams, and ponds. This pesticide is toxic to wildlife.
Ornamental Woody Shrubs and Vines								
Containerized Drench. Drencher. Cutting Drench /Spray. Drencher /Sprayer. Foliar Spray. Sprayer Nurserystock Drench /Spray. Drencher /Sprayer Potted Drench /Spray.Drencher /Sprayer.	Soluble Concentrate/ liquid	0.0339 lb gal	NS	NS		NS	12 hr	Do not apply through any type of irrigation system Do not apply when drift is likely to occur. Do not contaminate food or feed by storage or disposal. Do not contaminate water by cleaning of equipment or disposal of equipment wash waters.Keep out of lakes, streams, and ponds. This pesticide is toxic to wildlife.
Ornamental Woody Shrubs and Vines								

Potted Drench /Spray.Drencher /Sprayer.	Soluble Concentrate/ liquid	0.0625 lb pot	NS	NS		NS	12 hr	Do not apply through any type of irrigation system Do not apply when drift is likely to occur. Do not contaminate food or feed by storage or disposal. Do not contaminate water by cleaning of equipment or disposal of equipment wash waters.Keep out of lakes, streams, and ponds. This pesticide is toxic to wildlife.
Ornamental Woody Shrubs and Vines								
Foliar Spray. Sprayer.	Soluble Concentrate/ liquid	3.7 lb ai/A	NS	NS		NS	12 hr	Do not apply through any type of irrigation equipment. Apply only to containerized plants. Do not apply as a soil drench
Ornamental Woody Shrubs and Vines								
Early bloom Spray. Sprayer.	Soluble Concentrate/ liquid	0.0127 lb gal	NS	NS		NS	12 hr	Do not apply through any type of irrigation system Do not apply when drift is likely to occur. Do not contaminate food or feed by storage or disposal. Do not contaminate water by cleaning of equipment or disposal of equipment wash waters.Keep out of lakes, streams, and ponds. This pesticide is toxic to wildlife.

NS = Not Specified

Appendix B				
Data Supporting Guideline Requirements for the Reregistration of chlormequat chloride				
REQUIREMENT			Use Pattern	CITATION(S)
ECOLOGICAL EFFECTS				
Non-guideline		Avian Acute Oral Toxicity	C, H, J	467152-11 (supplemental)
850.2200	71-2A	Avian Dietary Toxicity - Quail	C, H, J	467152-122 (supplemental)
850.2300	71-4B	Avian Dietary Toxicity - Duck	C, H, J	467152-13 (data gap)
Non-guideline		Avian Reproduction – Quail	C, H, J	467152-14 (supplemental)
850.1075	72-1A	Freshwater Fish Acute Toxicity - Bluegill	C, H, J	001232-61
850.1075	72-1B	Fish Acute Toxicity Fathead Minnow	C, H, J	000374-33
Non-guideline		Fish Acute Toxicity Rainbow Trout	C, H, J	467152-17 (supplemental)
850.1010	72-2A	Invertebrate Acute Daphnid Toxicity	C, H, J	001387-19 (supplemental)
850.1075	72-3A	Estuarine/Marine Fish Acute Toxicity	C, H, J	ECOTOX
850.1035	72-3C	Estuarine/Marine Acute Toxicity	C, H, J	ECOTOX
850.1300	72-4A	Daphnid Chronic Toxicity (life cycle)	C, H, J	467152-16 (supplemental)
850.1400	72-4C	Freshwater Fish Early Life Stage	C, H, J	Data Gap
Non-guideline		Terrestrial Plant Toxicity, Seedling Emergence	C, H, J	467152-19 (supplemental)
Non-guideline			C, H, J	467152-20 (supplemental)
850.4400	122-2	Vascular Aquatic Plant Toxicity - <i>lemna gibba</i> (Tier 1)	C, H, J	467152-21
850.4500	123-2	Aquatic Plant Growth - Algae	C, H, J	467152-22
850.4550	123-2	Aquatic Plant Growth – Cyanobacteria	C, H, J	467152-23
850.3020	141-1	Honey Bee Acute Contact	C, H, J	467152-24
TOXICOLOGY				

Appendix B				
Data Supporting Guideline Requirements for the Reregistration of chlormequat chloride				
REQUIREMENT			Use Pattern	CITATION(S)
870.3100	82-1	Oral subchronic Toxicity study – Rat	C, H, J	00163408
Non-guideline		90-Day Oral Toxicity – Rodent	C, H, J	00163408
870.3200	82-2	21/28-Day Dermal Toxicity – Rabbit	C, H, J	42246603
870.3700	83-3	Prenatal Developmental Toxicity	C, H, J	42246604
Non-guideline		Prenatal Developmental Toxicity – Rabbit	C, H, J	46715205
870.3800	83-4	Reproduction and Fertility Effects – Rat	C, H, J	46712006
830.4100	83-1	Chronic Toxicity – Dog	C, H, J	46715201
870.4200a	83-2a	Carcinogenicity Study – rat	C, H, J	46715203
870.4200b	83-2b	Carcinogenicity Study – Mice	C, H, J	46715204
870.5100	84-2	Bacterial Reverse Mutation	C, H, J	41721610
ENVIRONMENTAL FATE				
835.2120	161-1	Hydrolysis	C, H, J	Data Gap
835.2240	161-2	Photodegradation – Water	C, H, J	Data Gap
835.4200	162-2	Anaerobic Soil Metabolism	C, H, J	Data Gap
835.1230	163-1	Sediment and Soil Adsorption/Desorption	C, H, J	46715228, 46715229

Appendix C. Technical Support Documents

Additional documentation in support of this RED is maintained in the OPP docket, located in Environmental Protection Agency, Rm. S-4400, One Potomac Yard (South Bldg.), 2777 S. Crystal Dr., Arlington, VA. It is open Monday through Friday, excluding legal holidays, from 8:30 am to 4 pm.

The docket contains the risk assessments and related documents as of September 30, 2007. The availability announcement will be published in the Federal Register. All documents, in hard copy form, may be viewed in the OPP docket room or downloaded or viewed via the Internet at the following site: www.epa.gov/pesticides/reregistration. The following list details all documents related to the Chlormequat chloride RED.

Health Effects Documents

1. *chlormequat chloride. HED Human Health Risk Assessment for the Reregistration Eligibility Decision.* D336712; D. Wilbur; June 12, 2007
2. *chlormequat chloride: Occupational and Residential Exposure Assessment for the Reregistration Eligibility Decision Document.* D336714; C. Smith; June 12, 2007
4. *chlormequat chloride. Screening-Level Acute and Chronic Dietary (Drinking Water Only) Exposure and Risk Assessment for the Reregistration Eligibility Decision.* D336716; D. Wilbur; June 7, 2007
5. *Review of chlormequat chloride Incident Reports.* D342351; M. Hawkins; August 14, 2007
6. *chlormequat chloride – Carcinogenicity Studies in Rats and Mice (MRID # 46715203 and 46715204).* D336713; J. Facey; June 11, 2007

Ecological Fate and Effects Documents

1. *Environmental Fate and Ecological Risk Assessment for the Reregistration of chlormequat chloride.* B. Kiernan and M. Echeverria; April 11, 2007
2. *Tier I Drinking Water Assessment for chlormequat chloride in Support of Reregistration Eligibility Decision* D336717;. M. Echeverria; March 19, 2007

Appendix D. Citations Considered to be Part of the Database Supporting the Reregistration Decision (Bibliography)

GUIDE TO APPENDIX D

1. **CONTENTS OF BIBLIOGRAPHY.** This bibliography contains citations of all studies considered relevant by EPA in arriving at the positions and conclusions stated elsewhere in the Reregistration Eligibility Document. Primary sources for studies in this bibliography have been the body of data submitted to EPA and its predecessor agencies in support of past regulatory decisions. Selections from other sources including the published literature, in those instances where they have been considered, are included.
2. **UNITS OF ENTRY.** The unit of entry in this bibliography is called a "study". In the case of published materials, this corresponds closely to an article. In the case of unpublished materials submitted to the Agency, the Agency has sought to identify documents at a level parallel to the published article from within the typically larger volumes in which they were submitted. The resulting "studies" generally have a distinct title (or at least a single subject), can stand alone for purposes of review and can be described with a conventional bibliographic citation. The Agency has also attempted to unite basic documents and commentaries upon them, treating them as a single study.
3. **IDENTIFICATION OF ENTRIES.** The entries in this bibliography are sorted numerically by Master Record Identifier, or "MRID" number. This number is unique to the citation, and should be used whenever a specific reference is required. It is not related to the six-digit "Accession Number" which has been used to identify volumes of submitted studies (see paragraph 4(d)(4) below for further explanation). In a few cases, entries added to the bibliography late in the review may be preceded by a nine character temporary identifier. These entries are listed after all MRID entries. This temporary identifying number is also to be used whenever specific reference is needed.
4. **FORM OF ENTRY.** In addition to the Master Record Identifier (MRID), each entry consists of a citation containing standard elements followed, in the case of material submitted to EPA, by a description of the earliest known submission. Bibliographic conventions used reflect the standard of the American National Standards Institute (ANSI), expanded to provide for certain special needs.
 - a **Author.** Whenever the author could confidently be identified, the Agency has chosen to show a personal author. When no individual was identified, the Agency has shown an identifiable laboratory or testing facility as the author. When no author or laboratory could be identified, the Agency has shown the first submitter as the author.

- b. Document date. The date of the study is taken directly from the document. When the date is followed by a question mark, the bibliographer has deduced the date from the evidence contained in the document. When the date appears as (1999), the Agency was unable to determine or estimate the date of the document.
- c. Title. In some cases, it has been necessary for the Agency bibliographers to create or enhance a document title. Any such editorial insertions are contained between square brackets.
- d. Trailing parentheses. For studies submitted to the Agency in the past, the trailing parentheses include (in addition to any self-explanatory text) the following elements describing the earliest known submission:
 - (1) Submission date. The date of the earliest known submission appears immediately following the word "received."
 - (2) Administrative number. The next element immediately following the word "under" is the registration number, experimental use permit number, petition number, or other administrative number associated with the earliest known submission.
 - (3) Submitter. The third element is the submitter. When authorship is defaulted to the submitter, this element is omitted.
 - (4) Volume Identification (Accession Numbers). The final element in the trailing parentheses identifies the EPA accession number of the volume in which the original submission of the study appears. The six-digit accession number follows the symbol "CDL," which stands for "Company Data Library." This accession number is in turn followed by an alphabetic suffix which shows the relative position of the study within the volume.

Bibliography

MRID	Citation Reference
9446	Welch, N.C. (1969) Report of Planned Work Accomplished: Growth Control Regulators in Brussels Sprouts: Proj. No. 75. (Unpublished study received Oct 3, 1972 under 2F1271; prepared by Univ. of California, Cooperative Extension Service, submitted by Uniroyal Chemical, Bethany, Conn.; CDL:091801-W)
9447	Rubatzky, V.E.; Sciaroni, R.H. (1970) Chemical Topping of Brussels Sprouts. (Papers for American Society for Horticultural Science--Western Region, Univ. of California--Berkeley, June 21-24, 1970; unpublished study received Oct 3, 1971 under 2F1271; prepared by Univ. of California--Davis, Agricultural Extension Service, Dept. of Vegetable Crops, submitted by Uniroyal Chemical, Bethany, Conn.; CDL:091801-Y)
9454	Kim, S.H.; Fieldhouse, D.J.; Morton, D.J. (1966) Effects of Bactericides and Growth Regulators on Bacterial Spot, Yield, and Fruit Weight of Pepper--1966. (Unpublished study received Oct 3, 1972 under 2F1271; prepared by Univ. of Delaware, submitted by Uniroyal Chemical, Bethany, Conn.; CDL:091801-AG)
9486	Read, P.E.; Fieldhouse, D.J. (1970) Use of Growth Retardants for increasing tomato yields and adaptation for mechanical harvest. Journal of the American Society of Horticultural Science 95(1): 73-78. (Also in unpublished submission received Nov 4, 1975 under 400-79; submitted by Uniroyal Chemical, Bethany, Conn.; CDL:094840-C)
9487	Bryan, H.H. (1970) Concentrating tomato maturity with growth regulators. Pages 123-126, In Proceedings of the Florida State Horticultural Society; Oct 27-29, 1970, Miami, Florida. N.P. (Also in unpublished submission received Nov 4, 1975 under 400-79; submitted by Uniroyal Chemical, Bethany, Conn.; CDL: 094848-H)
9534	Edgerton, L.J.; Powell, L.E. (1967) Effects of Some Growth Regulators on Bloom Date and Cold Hardiness of Apple and Cherry. (Unpublished study received Apr 10, 1967 under 7F0552; prepared by Cornell Univ., Dept. of Pomology, submitted by United States Rubber Co., Naugatuck, Conn.; CDL:094768-D)
9558	Bryan, H.H. (1967) Preliminary Non-Projected Studies: Tomato Yield Response to Growth Regulators. (Unpublished study received May 29, 1970 under 0F0923; prepared by Univ. of Florida, Sub-Tropical Experiment Station, submitted by Uniroyal Chemical, Bethany, Conn.; CDL:091577-I)
9569	Oyer, E. (1967) Effects of Growth Regulants on Flowering and Fruiting of Tomatoes. (Unpublished study received May 29, 1970 under 0F0923; prepared by Cornell Univ., submitted by Uniroyal Chemical, Bethany, Conn.; CDL:091577-W)

MRID	Citation Reference
9580	Chilcote, D.O.; Phillips, J.C.; Frakes, R.V. (1974) Growth Regulators and Seed Yield in Alfalfa. (Unpublished study received Mar 4, 1976 under 6F1752; submitted by Uniroyal Chemical, Bethany, Conn.; CDL:095528-C)
9581	Oregon State University, Crop Science Department (1972) Influence of Selected Growth Regulators on Alfalfa Seed Yield and Yield Components. (Unpublished study received Mar 4, 1976 under 6F1752; prepared in cooperation with Southern Oregon Experiment Station, submitted by Uniroyal Chemical, Bethany, Conn.; CDL: 095528-E)
9674	Shanks, J.B. (1963) Growth Retardants for Azaleas: Grower Divisions of the Allied Florists of Baltimore and the Allied Florists of Greater Washington. (Maryland florist, number 100; also In unpublished submission received Mar 4, 1964 under 400-69; submitted by Uniroyal Chemical, Bethany, Conn.; CDL:023348-C)
9728	Cathey, H.M; Heggstad, H.E. (1972) Reduction of ozone damage to <i>Petunia hybrida</i> Vilm. by use of growth regulating chemicals and tolerant cultivars. <i>Journal of the American Society for Horticultural Science</i> 97(6):695-700. (Also In unpublished submission received Feb 13, 1973 under 400-49; submitted by Uniroyal Chemical, Bethany, Conn.; CDL:127889-A)
9750	Michigan State University, Sodus Horticultural Experiment Station (1966) Growth Regulators on Grapes. (Unpublished study received Aug 13, 1974 under 400-117; submitted by Uniroyal Chemical, Bethany, Conn.; CDL:026600-K)
9775	Wu, C.H.; Santelmann, P.W. (1974) Plant Growth Regulators in Pea- nuts: No. GR 74-4. (Unpublished study received May 12, 1976 under 400-103; prepared by Oklahoma State Univ., submitted by Uniroyal Chemical, Bethany, Conn.; CDL:230881-V)
24737	Hilton, H.W.; Nomura, N.S.; Kameda, S.S.; et al. (1976) Some patterns of herbicide and growth regulaor intake, persistence, and distribution in sugarcane. <i>Archives of Environmental Contamination and Toxicology</i> 4(4):385-394. (Also In unpublished submission received Jul 19, 1978 under 201-403; submitted by Shell Chemical Co., Washington, D.C.; CDL:234470-AP)
33740	Gill, D.L.; Stuart, N.W.; Munger, G.D.; et al. (1964) Summary: Effects of Cycocel on Shrub Growth. (Unpublished study received Jun 22, 1964 under 241-74; prepared in cooperation with U.S. Agricultural Research Service, Crops Research Div. and others, submitted by American Cyanamid Co., Princeton, N.J.; CDL: 001761-B)
33741	American Cyanamid Company (1962) The Name, Chemical Identity, and Composition of Cycocel. (Unpublished study received Mar 29, 1962 under 241-74; CDL:001758-A)

MRID	Citation Reference
33742	Paterson, W.W.; Besemer, S.T.; Oelschig, G.H.; et al. (1962) Introduction: CCC on Poinsettia Growth. (Unpublished study including published data, received Mar 29, 1962 under 241-74; prepared in cooperation with Rosemont Greenhouses, Inc. and others, submitted by American Cyanamid Co., Princeton, N.J.; CDL:001758-B)
35039	Wheldon, G.H.; Hunter, B. (1970) Long-Term Feeding Study of Cycocel Chloromequat in the Mouse (Interim Report 0-52 Weeks): Report No. 3458-70-271. (Unpublished study received Oct 23, 1970 under 241-214; prepared by Huntingdon Research Centre, submitted by American Cyanamid Co., Princeton, N.J.; CDL:002030-A)
35040	American Cyanamid Company (1965) Toxicity Data: Report No. 65-5. (Unpublished study received Oct 23, 1970 under 241-214; CDL: 002030-B)
35041	Huepen, W.C.; Conway, W.D. (1970) Chemical Carcinogenesis and Cancers: Charles C. Thomas. (pp. 343-344 only; also In unpublished submission received Oct 23, 1970 under 241-214; submitted by American Cyanamid Co., Princeton, N.J.; CDL:002030-C)
35042	Oettel, H.; Froberg, H.; Schilling, B. (1966) Final Report on the 2-Year Rat Feeding Experiment with Chlorcholine-chloride (CCC). (Translation; unpublished study received Jun 1, 1970 under 241- 214; prepared by BASF Institute for Industrial Hygiene & Pharmacology, submitted by American Cyanamid Co., Princeton, N.J.; CDL:002029-A)
35069	Levinskas, G.J.; Bushey, C.L.; Kunde, M.L.; et al. (1962) 2-Chloroethyl trimethylammonium chloride; CL 38, 555: Limited Release Toxicity Studies: Report No. 62-14. (Unpublished study received Feb 10, 1969 under 241-214; submitted by American Cyanamid Co., Princeton, N.J.; CDL:002027-A)
37483	Sleight, B.H., III (1972) The Acute Toxicity of Cycocel (R) and Experimental Insecticide AC 92,100 to Bluegill (<i>Lepomis macrochirus</i>) and Rainbow Trout (<i>Salmo gairdneri</i>). (Unpublished study received Apr 9, 1973 under 3G1340; prepared by Bionomics, Inc., submitted by American Cyanamid Co., Princeton, N.J.; CDL:093584-U)
42261	Oettel, H.; Froberg, H. (1966) Final Report on the 2-Year Rat Feeding Experiment with Chlorcholine-chloride (CCC): Experiment No. XIV/145=xv/96. (Translation, unpublished study received Jun 1, 1970 under 241-37; prepared by BASF Institute for Industrial Hygiene & Pharmacology, West Germany, submitted by American Cyanamid Co., Princeton, N.J.; CDL:100635-A)
42262	Howard, D.J.; Woodard, G. (1969) Calnox 214-DN Acute Oral Toxicity to Rats. (Unpublished study received Oct 20, 1971 under 1757- 42; prepared by Woodard Research Corp., submitted by Drew Chemical Corp., Boonton, N.J.; CDL:100636-A)

MRID	Citation Reference
42263	Durluo, R.S.; Woodard, G. (1969) Calnox 214 DN: Single Dermal Application to Rabbits; Single Application to the Eye of Rabbits. (Unpublished study received Jan 20, 1971 under 1757-42; prepared by Woodard Research Corp., submitted by Drew Chemical Corp., Boonton, N.J.; CDL:100636-B)
46375	American Cyanamid Company (1970) Introduction: Screening of Cycocel chlormequat for Carcinogenic Activity in the Mouse . (Unpublished study received Oct 23, 1970 under unknown admin. no.; CDL:107911-A)
47796	Wheldon, G.H.; Hunter, B. (1970) Long-Term Feeding Study of Cycocel chlormequat in the Mouse: Report No. 3458/70/271. Interim rept. 0-52 weeks. (Unpublished study received Oct 23, 1970 under 241-214; prepared by Huntingdon Research Centre, England, submitted by American Cyanamid Co., Princeton, N.J.; CDL: 100772-A)
51292	Levinskas, G.J. (1962) Letter sent to F.R. Barron, Jr. dated Oct 31, 1962: 2-Chloroethyl trimethylammonium chloride, CL 38,555: Repeated dermal applications to rabbits. (Unpublished study received Nov 8, 1962 under unknown admin. no.; submitted by American Cyanamid Co., Princeton, N.J.; CDL:107907-A)
70984	Sontag, J.M. (1978) Minutes: Thirteenth Meeting of the Data Evaluation/Risk Assessment Subgroup of the Clearinghouse on Environmental Carcinogens. (U.S. National Institutes of Health, National Cancer Institute, Div. of Cancer Cause and Prevention; unpublished study; CDL:237727-D)
73906	American Cyanamid Company (1974) Name, Chemical Identity and Composition of Cycocel. (Unpublished study received Dec 8, 1974 under 4G1461; CDL:093894-A)
73907	American Cynamid Company (1974) Method of Analysis: Cycocel Technical Solution. (Unpublished study received Jan 28, 1974 under 4G1461; CDL:093894-B)
73908	American Cyanamid Company (1974) Method of Analysis: Cycocel 45.8% Aqueous Solution. (Unpublished study received Jan 28, 1974 under 4G1461; CDL:093894-C)
73909	American Cyanamid Company (1974) Stability of Cycocel 4L Plant Growth Regulant. (Unpublished study received Jan 28, 1974 under 4G1461; CDL:093894-D)
73910	American Cyanamid Company (1974) Comparison of Assay Procedures. (Unpublished study received Jan 28, 1974 under 4G1461; CDL: 093894-E)
73911	American Cyanamid Company (1974) Analytical Method Using the Di- picrylamine Colorimetric Procedure. (Unpublished study received Jan 28, 1974 under 4G1461; CDL:093894-F)
73912	American Cyanamid Company (1973) Introduction: Efficacy of Cycocel--Sugar Cane . (Unpublished study received Jan 28, 1974 under 4G1461; CDL:093894-G)

MRID	Citation Reference
73913	Rhodes, L.J.; Sloane, G.E.; Moritsugu, T.; et al. (1974) The HSPA mini-factory. Hawaiian Planters' Record 58(19):265-281. (Also In unpublished submission received Jan 28, 1974 under 4G1461; submitted by American Cyanamid Co., Princeton, N.J.; CDL: 093894-I)
73914	Rhodes, L.J.; Mahon, H.I. (1955) The potential use of the pol ratio (disintegrator) method to determine cane, and field distribution of sugar. Reports, 14th Annual Meeting Hawaiian Sugar Technologists: 64-66. (Also In unpublished submission received Jan 28, 1974 under 4G1461; submitted by American Cyanamid Co., Princeton, N.J.; CDL:093894-J)
73915	Payne, J.H.; Mahon, H.I. (1956) The pol ratio method for evaluating cane quality. Proceedings of the 9th Congress of the International Society of Sugar Cane Technologists 2:436-447. (Also In unpublished submission received Jan 28, 1974 under 4G1461; submitted by American Cyanamid Co., Princeton, N.J.; CDL: 093894-K)
73916	American Cyanimid Company (1973) Efficacy of Cycocel--Sugar Cane : Report No. 73-56. (Compilation; unpublished study, including report nos. 73-57, 73-58, 73-59..., received Jan 28, 1974 under 4G1461; CDL:093894-L)
73917	American Cyanamid Company (1974) Cycocel Plant Growth Regulant: Fate of Carbon-14 Chlorocholine Chloride in Soil: Project No. 2-524. (Unpublished study received Jan 28, 1974 under 4G1461; CDL:093894-N)
73918	American Cyanamid Company (1974) Summary--Fate of Chlorocholine Chloride in Plants, in the Rat and in the Soil. (Unpublished study received Jan 28, 1974 under 4G1461; CDL:093894-O)
73919	American Cyanamid Company (1974) Summary--Cycocel Residues in Sugar Cane and Its By Products, Milk and Cattle Tissue. (Unpublished study received Jan 28, 1974 under 4G1461; CDL: 093894-P)
73920	Higham, J.W.; Snyder, E.H. (1973) Cycocel ^(R) I 50% Liquid: Cycocel Residues in Sugarcane, Molasses, Bagasse and Raw Sugar (Ewa, and Hilo, Hawaii): Report No. C-369. Includes method M-369. (Unpublished study received Jan 28, 1974 under 4G1461; submitted by American Cyanamid Co., Princeton, N.J.; CDL:093894-Q)
73921	Higham, J.W. (1973) Cycocel ^(R) I: Cycocel Residues in Affined Raw Sugar (Ewa and Hilo, Hawaii): Report No. C-370. Includes methods M-369 and M-440. (Unpublished study received Jan 28, 1974 under 4G1461; submitted by American Cyanamid Co., Princeton, N.J.; CDL:093894-R)
73922	Orloski, E.J.; Mooney, R.P.; Moyer, M. (1970) Cycocel Residues in Milk: Report No. C-225. (Unpublished study received Jan 28, 1974 under 4G1461; submitted by American Cyanamid Co., Princeton, N.J.; CDL:093894-S)

MRID	Citation Reference
73923	Higham, J.W.; Snyder, E.H. (1973) Cycocel ^(R) I: Residues in Cattle Tissues (Muscle, Fat, Liver and Kidney): Report No. C-371. Includes method M-400. (Unpublished study received Jan 28, 1974 under 4G1461; submitted by American Cyanamid Co., Princeton, N.J.; CDL:093894-T)
75134	Tanimoto, T. (1964) The press method of cane analysis. Hawaiian Planters' Record 57(2):133-150. (Also In unpublished submission received on unknown date under 4G1461; submitted by American Cyanamid Co., Princeton, N.J.; CDL:094932-A)
75136	American Cyanamid Company (1974) Efficacy of Cycocel on Sugar Cane . (Compilation; unpublished study received on unknown date under 4G1461; submitted by American Cyanamid Co., Princeton, N.J.; CDL:094932-E)
75770	Allen, J.S.; Caterson, C.; Johnson, E. (1979) Mutagenicity Testing of Cycocel ^(R) I; CL 38,555; Ammonium Chloride, (2-Chloroethy) Trimethyl in the Ames Bacterial Test: AIR 7:415-427. Final rept. (Unpublished study received Aug 23, 1979 under 241-256; submitted by American Cyanamid Co., Princeton, N.J.; CDL: 240906-A)
78441	Bariola, L.A.; Henneberry, T.J.; Kittock, D.L. (1979) Status of chemical termination of cotton plant fruiting as a means for controlling the pink bollworm and boll weevil. Pages 130-132, In Beltwide Cotton Production Research Conference; Jan 7-11, 1979, Phoenix, Arizona. Edited by James M. Brown. Memphis, Tenn. (Also In unpublished submission received Apr 20, 1981 under 876-25; submitted by Velsicol Chemical Corp., Chicago, Ill.; CDL:070027-B)
83735	American Cyanamid Company (1971) Summary of the Toxicity Data on 2-Chlorethyl trimethylammonium chloride, C1 38,555. (Unpublished study received Jan 28, 1974 under 4G1461; CDL:093894-M)
86147	American Cyanamid Company (1968) Summary Sheet: Carcinogenesis Assay Studies: CCC . (Compilation; unpublished study received May 26, 1976 under 6F1759; CDL:097950-A)
91523	American Cyanamid Company (1976) Performance of Cycocel. (Compilation; unpublished study, including report nos. 76-139, 76-140, 76-141, received Mar 15, 1976 under 6F1759; CDL: 095137-A)
95768	Levinskas, G.J. (1962) Letter sent to R.E. Deems dated Mar 27, 1962: 2-Chloroethyl trimethyl ammonium chloride, CL 38,555. (Unpublished study received Aug 13, 1963 under 241-74; submitted by American Cyanamid Co., Princeton, N.J.; CDL:001761-C)
98064	Mandops, Incorporated (1982) Chemistry Data on Chlormequat and Other Chemicals. Includes method dated Apr 3, 1982. (Compilation; unpublished study received Mar 25, 1982 under 47361- EX-1; CDL:247143-A)

MRID	Citation Reference
98065	Sugar, J.R.; Gunn, J. (1981) Acute Oral LDI50 [^] Study in the Rat: Chlormequat 700: Ref. No. 196/8106. (Unpublished study received Mar 25, 1982 under 47361-EX-1; prepared by Toxicol Laboratories Ltd., England, submitted by Mandops, Inc., West Palm Beach, Fla.; CDL:247143-B)
98066	Sugar, J.R.; Gunn, J. (1979) Acute Dermal Toxicity Study in the Rat: Chlormequat 700: Ref. No. 238/7909. (Unpublished study received Mar 25, 1982 under 47361-EX-1; prepared by Toxicol Laboratories Ltd., England, submitted by Mandops, Inc., West Palm Beach, Fla.; CDL:247143-D)
98067	Middleton, J.D.; Husband, R.F.A. (1979) Acute Dermal Toxicity Study in the Rat: Chlormequat 46: Ref. No. 13/7812. (Unpublished study received Mar 25, 1982 under 47361-EX-1; prepared by Toxicol Laboratories Ltd., England, submitted by Mandops, Inc., West Palm Beach, Fla.; CDL:247143-E)
98068	Sugar, J.R.; Gunn, J. (1980) Acute Oral Toxicity Study in the Rat: Barleyquat: Ref. No. 95/8002. (Unpublished study received Mar 25, 1982 under 47361-EX-1; prepared by Toxicol Laboratories Ltd., England, submitted by Mandops, Inc., West Palm Beach, Fla.; CDL:247143-F)
98069	Sugar, J.R.; Gunn, J. (1981) Acute Oral LDI50 [^] Study in the Rat: Hele Stone: Ref. No. 311/8102. (Unpublished study received Mar 25, 1982 under 47361-EX-1; prepared by Toxicol Laboratories Ltd., England, submitted by Mandops, Inc., West Palm Beach, Fla.; CDL:247143-G)
98070	Sugar, J.R.; Gunn, J. (1979) Acute Dermal Toxicity Study in the Rat: Barleyquat: Ref. No. 237/7909. (Unpublished study received Mar 25, 1982 under 47361-EX-1; prepared by Toxicol Laboratories Ltd., England, submitted by Mandops, Inc., West Palm Beach, Fla.; CDL:247143-H)
98071	Mandops, Incorporated (1982) Determination of Chlormequat Residues in Cereals, Peas, Soya and Oilseed Rape . Includes methods dated May 4, 1979, Oct 29, 1981, and Feb 5, 1982. (Compilation; unpublished study, including refs. J 2586, J 2727, GCL/723/R..., received Mar 25, 1982 under 47361-EX-1; CDL:247143-L)
100733	G. C. Laboratories Ltd. (1982) Determination of Chlormequat Resi- dues in Soya Beans: GCL/793/P. (Unpublished study received Apr 29, 1982 under 2G2674; submitted by Mandops, Inc., West Palm Beach, FL; CDL:070824-B)
100734	G. C. Laboratories Ltd. (1981) Determination of Residues of Chlormequat in Oil Seed Rape Seed. (Unpublished study received Apr 29, 1982 under 2G2674; submitted by Mandops, Inc., West Palm Beach, FL; CDL:070824-C)
100735	Sugar, J.; Gunn, J. (1981) Acute Oral LD50 Study in the Rat: Chlormequat 700: Toxicol Ref. No. 196/8106. (Unpublished study received Apr 29, 1982 under 2G2674; prepared by Toxicol Labora- tories Ltd., England, submitted by Mandops,

MRID	Citation Reference
	Inc., West Palm Beach, FL; CDL:070824-D)
100736	Anon. (1972) Chlormequat. Pages 102-130, In Source unknown: World Health Organization/Food and Agriculture Organization of the United Nations. (WHO/FAO Publication JMPR 1972; published study; CDL:070824-E)
100737	Sugar, J.; Gunn, J. (1979) Acute Dermal Toxicity Study in the Rat: Chlormequat 700: 238/7909. (Unpublished study received Apr 29, 1982 under 2G2674; prepared by Toxicol Laboratories Ltd., England, submitted by Mandops, Inc., West Palm Beach, FL; CDL: 070824-F)
100738	Middleton, J.; Husband, R. (1979) Acute Dermal Toxicity Study in the Rat: Chlormequat 46: Ref. No. 13/7812. (Unpublished study received Apr 29, 1982 under 2G2674; prepared by Toxicol Laboratories Ltd., England, submitted by Mandops, Inc., West Palm Beach, FL; CDL:070824-G)
100739	Sugar, J.; Gunn, J. (1981) Acute Oral LD50 Study in the Rat: Hele Stone: Toxicol Ref. No. 311/8102. (Unpublished study received Apr 24, 1982 under 2G2674; prepared by Toxicol Laboratories Ltd., England, submitted by Mandops, Inc., West Palm Beach, FL; CDL:070824-I)
100740	Sugar, J.; Gunn, J. (1979) Acute Dermal Toxicity Study in the Rat: Barleyquat: Ref. No. 237/7909. (Unpublished study received Apr 29, 1982 under 2G2674; prepared by Toxicol Laboratories Ltd., England, submitted by Mandops, Inc., West Palm Beach, FL; CDL:070824-J)
100741	Mandops, Inc. (1982) Summary of Toxicity Data: Acute Toxicity of Chlormequat in Different Animal Species. (Unpublished study received Apr 29, 1982 under 2G2674; CDL:070824-K)
100742	Mandops, Inc. (1977) CA. Chemicals: Residues in Various Crops, Toxicity to Various Animals, Degradation, Fates and Metabolism, Etc. (Unpublished study received Apr 29, 1982 under 2G2674; CDL:070824-L)
100743	Shaffer, C. (1970) Chlormequat. Pages 45-57, In Source unknown: World Health Organization/Food and Agriculture Organization of the United Nations. (WHO/FAO Publication JMPR 1970; published study; CDL:070824-M)
100744	Mandops, Inc. (1982) Chlorocholine: Chemical Study . (Compilation; unpublished study received Apr 29, 1982 under 2G2674; CDL:070825-A)
100745	Sugar, J.; Gunn, J. (1980) Acute Oral Toxicity Study in the Rat: Barleyquat: Toxicol No. 95/8002. (Unpublished study received Apr 29, 1982 under 2G2674; prepared by Toxicol Laboratories, Ltd., England, submitted by Mandops, Inc., West Palm Beach, FL; CDL:070825-G)

MRID	Citation Reference
100746	Mandops, Inc. (1980) Chlormequat: Residues in Grain and Straw . (Compilation; unpublished study received Apr 29, 1982 under 2G2674; CDL:070825-M)
100747	G.C. Laboratories, Ltd. (1982) Determination of Chlormequat Residues in Soya Beans. (Unpublished study received Apr 29, 1982 under 2G2674; submitted by Mandops, Inc., West Palm Beach, FL; CDL:070825-N)
100748	G.C. Laboratories, Ltd. (1981) Podquat: Determination of Residues of Chlormequat in Peas: J 3611. (Unpublished study received Apr 29, 1982 under 2G2674; submitted by Mandops, Inc., West Palm Beach, FL; CDL:070825-O)
108805	Mandops, Incorporated (1971) Chlormequat. (Unpublished study received Mar 25, 1982 under 47361-EX-1; CDL:247143-C)
108806	Mandops, Incorporated (1982) Summary of Toxicity Data. (Unpublished study received Mar 25, 1982 under 47361-EX-1; CDL: 247143-I)
108807	Food and Agriculture Organization of the United Nations (1970) Chlormequat. (And World Health Organization; unpublished study; CDL:247143-J)
114308	Haynes, G. (1982) Primary Skin Irritation Study: Sample PGR/4A : Toxicol Ref. No. 92/8207. (Unpublished study received Sep 13, 1982 under 47361-EX-1; prepared by Toxicol Laboratories, Ltd., Eng., submitted by Mandops, Inc., West Palm Beach, FL; CDL: 248324-A)
114309	Gunn, J.; Goodwin, M. (1982) Acute Oral LD50 Study in the Rat: PGR/4A : Toxicol Ref. No. 246/8207. (Unpublished study received Sep 13, 1982 under 47361-EX-1; prepared by Toxicol Laboratories, Ltd., Eng., submitted by Mandops, Inc., West Palm Beach, FL; CDL:248324-C)
114310	Owen, P. (1982) Letter sent to M. Sampson dated Sep 2, 1982: Acute inhalation toxicity tests with chlorocholine chloride to EPA requirements. (Unpublished study received Sep 13, 1982 under 47361-EX-1; prepared by Hazleton Laboratories Europe, Ltd., Eng., submitted by Mandops, Inc., West Palm Beach, FL; CDL: 248324-E)
114311	Haynes, G. (1982) Primary Skin Irritation Study: Sample PGR/6S : Toxicol Ref. No. 90/8207. (Unpublished study received Sep 13, 1982 under 47361-EX-1; prepared by Toxicol Laboratories, Ltd., Eng., submitted by Mandops, Inc., West Palm Beach, FL; CDL: 248324-F)
114312	Goodwin, M.; Gunn, J. (1982) Acute Oral LD50 Study in the Rat: PGR/6S : No. 245/8207. (Unpublished study received Sep 13, 1982 under 47361-EX-1; prepared by Toxicol Laboratories, Ltd., Eng., submitted by Mandops, Inc., West Palm Beach, FL; CDL:248324-H)

MRID	Citation Reference
116567	Haynes, G. (1982) Eye Irritation Study: Sample PGR/4A : Toxicol Ref. No. 93/8207. (Unpublished study received Sep 13, 1982 under 47361-EX-1; prepared by Toxicol Laboratories, Ltd., Eng., submitted by Mandops, Inc., West Palm Beach, FL; CDL:248324-B)
116568	Gunn, J.; Goodwin, M. (1982) Acute Dermal Toxicity Study in the Rat: Toxicol Ref. No. 248/8207. (Unpublished study received Sep 13, 1982 under 47361-EX-1; prepared by Toxicol Laboratories, Ltd., Eng., submitted by Mandops, Inc., West Palm Beach, FL; CDL:248324-D)
116569	Haynes, G. (1982) Eye Irritation Study: Sample PGR/6S : Toxicol Ref. No. 91/8207. (Unpublished study received Sep 13, 1982 under 47361-EX-1; prepared by Toxicol Laboratories, Ltd., Eng., submitted by Mandops, Inc., West Palm Beach, FL; CDL:248324-G)
116570	Gunn, J.; Goodwin, M. (1982) Acute Dermal Toxicity Study in the Rat: PGR/6S: Toxicol Ref. No. 247/8207. (Unpublished study received Sep 13, 1982 under 47361-EX-1; prepared by Toxicol Laboratories, Ltd., Eng., submitted by Mandops, Inc., West Palm Beach, FL; CDL:248324-I)
123242	American Cyanamid Co. (1973) Chemical Study: Cycocel. (Compilation; unpublished study received 1973 under 4G1461; CDL: 093893-A)
123243	Levinskas, G.; Bushey, C.; Kunde, M.; et al. (1962) Report on 2-Chloroethyl Trimethylammonium Chloride; CL 38,555: Limited Release Toxicity Studies: Report No. 62-14. (Unpublished study received 1962 under 4G1461; submitted by American Cyanamid Co., Princeton, NJ; CDL:093893-B)
123244	Levinskas, G.; Monell, E.; Paquette, P.; et al. (1966) Report on Cycocel Plant Growth Regulant: Single Oral Dose Toxicity: Report No. 66-25. (Unpublished study received 1966 under 4G1461; submitted by American Cyanamid Co., Princeton, NJ; CDL: 093893-C)
123245	Oettel, H.; Frohberg, H. (1965) Report on Testing the Elimination of Chlorcholinechloride (CCC) after One Oral Administration in Rats: Out Test No. XV/163. (Unpublished study received 1965 under 4G1461; prepared by BASF, submitted by American Cyanamid Co., Princeton, NJ; CDL:093893-D)
123246	Oettel, H.; Schilling, V. (1965) Report on the Detoxification Experiments of Chlorocholine Chloride (CCC) with Atropine: XV/96. (Unpublished study received 1965 under 4G1461; prepared by BASF, submitted by American Cyanamid Co., Princeton, NJ; CDL:093893-E)
123247	Oettel, H.; Frohberg, H. (1964) Report on the Three Months Rat Feeding Test with Chlorcholinechloride in Powdered Food: Our Test No. XIII/467 and XIV/68. (Unpublished study received 1964 under 4G1461; prepared by BASF; submitted by

MRID	Citation Reference
	American Cyanamid Co., Princeton, NJ; CDL:093893-F)
123248	Oettel, H.; Hofmann, H. (1964) Report on the Examination of the Chronic Oral Toxicity of Chlorcholinechloride in Cats: Our Test No. XIII/485 and XIV/145. (Unpublished study received 1964 under 4G1461; prepared by BASF, submitted by American Cyanamid Co., Princeton, NJ; CDL:083893-G)
123249	Oettel, E.; Sachsse, K. (1967) Final Report on Two Year Dog Feeding Experiment with Chlor-choline-chloride (CCC): XIV/145, 156. (Unpublished study received 1967 under 4G1461; prepared by BASF, submitted by American Cyanamid Co., Princeton, NJ; CDL: 093893-H)
123250	Innes, J.; Ulland, B.; Valerio, M.; et al. (1969) Bioassay of pesticides and industrial chemicals for tumorigenicity in mice: A preliminary note. Journal of the National Cancer Institute 42(6):1101-1114. (Also In unpublished submission received 1969 under 4G1461; submitted by American Cyanamid Co., Princeton, NJ; CDL:093893-I)
123251	Wheldon, G.; Hunter, B.; Hague, P.; et al. (1971) Long-term Feeding Study of Cycocel in the Mouse: 4059/71/217. (Unpublished study received 1971 under 4G1461; prepared by Huntingdon Research Centre, Eng., submitted by American Cyanamid Co., Princeton, NJ; CDL:093893-J)
123252	Oettel, H.; Frohberg, H. (1966) Final Report on the 2-year Rat Feeding Experiment with Chlorcholine-chloride (CCC): XIV/145= xv/96. (Translation; unpublished study received 1966 under 4G1461; prepared by BASF, W. Ger., submitted by American Cyanamid Co., Princeton, NJ; CDL:093893-K)
123253	Leuschner, F.; Leuschner, A.; Schwerdtfeger, W. (1967) The Chronic Toxicity of CCC: Chronic Reproductive Study in Three Generations of Wistar-rats. (Unpublished study received 1967 under 4G1461; prepared by BASF, submitted by American Cyanamid Co., Princeton NJ; CDL:093893-L)
123254	Oettel, H.; Frohberg, H. (1964) Report on the Testing of the Teratogenic Effect of Chlorcholinechloride on Mice: XIII/485 and XIV/145. (Unpublished study received 1964 under 4G1461; prepared by BASF, submitted by American Cyanamid Co., Princeton, NJ; CDL:093893-M)
123255	Oettel, H.; Frohberg, H. (1965) Report on the Testing of the Teratogenic Effect of Chlorocholine Chloride in Mice Feeding Trials: XIII/485 and XIV/145. (Unpublished study received 1965 under 4G1461; prepared by BASF, submitted by American Cyanamid Co., Princeton, NJ; CDL:093893-N)
123256	Oettel, H.; Frohberg, H. (1965) Report on the Testing of Chlorocholinechloride (CCC) in Respect to Teratogenic Effects on Mice in Chronic Feeding Tests: XV/96. (Translation; unpublished study received 1965 under 4G1461; prepared by BASF,

MRID	Citation Reference
	W. Ger., submitted by American Cyanamid Co., Princeton, NJ; CDL:093893-O)
123257	Oettel, H.; Frohberg, H. (1965) Report on Testing Chlorocholine- chloride (CCC) in Respect to Possible Teratogenic Effects in Feeding Tests on Rats: XV/96. (Translation; unpublished study received 1965 under 4G1461; prepared by BASF, W. Ger., submitted by American Cyanamid Co., Princeton, NJ; CDL:093893-P)
123258	Oettel, H.; Frohberg, H. (1965) Report on the Testing of Chlorocholinechloride (CCC) in Respect to Possible Teratogenic Effects in Feeding Tests on Rabbits: XV/96. (Translation; unpublished study received 1965 under 4G1461; prepared by BASF, W. Ger., submitted by American Cyanamid Co., Princeton, NJ; CDL:093893-Q)
123259	Fletcher, D. (1972) Report to: 8-day Dietary LC50 Study with Cycocel Technical, 98% Pure in Ringneck Pheasants: IBT No. J1780. (Unpublished study received 1972 under 4G1461; prepared by Industrial Bio-Test Laboratories, Inc., submitted by American Cyanamid Co., Princeton, NJ; CDL:093893-R)
123260	Fletcher, D. (1972) Report to ...: 8-day Dietary LC50 Study with Cycocel Technical, 98% Pure in Mallard Ducks: IBT No. J1779. (Unpublished study received 1972 under 4G1461; prepared by Industrial Bio-Test Laboratories, Inc., submitted by American Cyanamid Co., Princeton, NJ; CDL:093893-S)
123261	Sleight, B. (1972) The Acute Toxicity of Cycocel and Experimental Insecticide AC 92,100 to Bluegill (<i>Lepomis macrochirus</i>) and Rainbow Trout (<i>Salmo gairdneri</i>). (Unpublished study received 1972 under 4G1461; prepared by Bionomics, Inc., submitted by American Cyanamid Co., Princeton, NJ; CDL:093893-T)
123262	American Cyanamid Co. (1973) Investigations Made with Respect to the Fate of Chlorocholine Chloride in Sugar Cane Grown in Hawaii, in the Rat and in the Soil. (Compilation; unpublished study received 1973 under 4G1461; CDL:093893-U)
124052	American Cyanamid Co. (1975) Residue of Cycocel in Sugarcane Grown in Hawaii. (Compilation; unpublished study received Mar 15, 1976 under 6F1759; CDL:095136-A)
124053	American Cyanamid Co. (1975) Metabolic Fate of Cycocel in Plants, Soil, Animals: Residue Summary. (Unpublished study received Mar 15, 1976 under 6F1759; CDL:095138-A)
124054	Marei, A.; Higham, J. (1973) Cycocel Plant Growth Regulant: Fate of Carbon-14 Chlorocholine Chloride in Sugarcane Grown in Hawaii: PDM 10:31-64. (Unpublished study received Mar 15, 1976 under 6F1759; submitted by American Cyanamid Co., Princeton, NJ; CDL:095138-B)
124055	Blinn, R.; Gatterdam, P.; Champagne, D. (1965) Cycocel Plant Growth Regulant: A

MRID	Citation Reference
	Study of 2-Chloroethyl Trimethylammonium in a Rat: PDM 2:238-247. (Unpublished study received Mar 15, 1976 under 6F1759; submitted by American Cyanamid Co., Princeton, NJ; CDL:095138-C)
124056	Haugwitz, M.; Adams, C. (1975) Excretion, Residual Radioactivity and Biochemical Behavior of 14C-Cycocel Plant Growth Regulant in Lactating Goats: PD-M 12:870-949. (Unpublished study received Mar 15, 1976 under 6F1759; prepared in cooperation with Bio/dynamics, Inc., submitted by American Cyanamid Co., Princeton, NJ; CDL:095138-E)
124057	Wozniak, L.; Amber, P.; Colavita, J.; et al. (1975) Cycocel Plant Growth Regulant: A Study of the Disposition of 14C-CL 38,555 ... in Laying Hens: AIR 3:233-290. (Unpublished study received Mar 15, 1976 under 6F1759; submitted by American Cyanamid Co., Princeton, NJ; CDL:095138-F)
124058	American Cyanamid Co. (1975) General Summary: Cycocel Plant Growth Regulant: Residue Data . (Unpublished study received Mar 15, 1976 under 6F1759; CDL:095139-A)
124059	Marei, A. (1973) Cycocel Plant Growth Regulant: Fate of Carbon-14 Chlorocholine Chloride in Soil: Project No. 2-524. Progress rept., 11-22-71 to 2-2-73. (Unpublished study received Mar 15, 1976 under 6F1759; submitted by American Cyanamid Co., Princeton, NJ; CDL:095139-B)
124060	Dupre, G. (1975) Runoff Characteristics of 14C-Cycocel Applied to Clay Loam Soil under Greenhouse Conditions: Report No. 75020. (Unpublished study received Mar 15, 1976 under 6F1759; prepared by Bio/dynamics, Inc., submitted by American Cyanamid Co., Princeton, NJ; CDL:095139-C)
124061	O'Grodnick, J.; Dupre, G. (1975) Leaching Characteristics of 14C- Cycocel and Its Degradation Products following Aging in Clay Loam Soil under Laboratory Conditions: Report No. 75022. (Unpublished study received Mar 15, 1976 under 6F1759; prepared by Bio/dynamics, Inc., submitted by American Cyanamid Co., Princeton, NJ; CDL:095139-D)
124062	Dupre, G. (1975) Leaching Characteristics of 14C-Cycocel in Various Soil Types under Laboratory Conditions: Report No. 75021. (Unpublished study received Mar 15, 1976 under 6F1759; prepared by Bio/dynamics, Inc., submitted by American Cyanamid Co., Princeton, NJ; CDL:095139-E)
124063	Haugwitz, M.; Eisner, S. (1975) Cycocel Plant Growth Regulant: A Study of Its Behavior in an Hydrolytic and in a Photolytic Environment: Project No. 2-524. Progress rept., 7-18-75 to 8-30-75. (Unpublished study received Mar 15, 1976 under 6F1759; submitted by American Cyanamid Co., Princeton, NJ; CDL:095139-F)
124064	Heitmuller, T. (1975) Acute Toxicity of Cycocel to Eastern Oysters (Crassostrea

MRID	Citation Reference
	virginica), Pink Shrimp (<i>Penaeus duorarum</i>) and Fiddler Crabs (<i>Uca pugilator</i>). (Unpublished study received Mar 15, 1976 under 6F1759; prepared by Bionomics, EG & G, Inc., submitted by American Cyanamid Co., Princeton, NJ; CDL:095139-I)
124065	Jung, J. (1964) Influence of Choline Dichlorine (CCC) on Biological Processes in the Soil. A translation of: <i>Über den Einfluss von Chlorcholinchlorid (CCC) auf Biologische Vorgänge im Boden.</i> (Unpublished study received Mar 15, 1976 under 6F1759; prepared by Badischen Anilin & Soda-Fabrik AG, W. Ger., submitted by American Cyanamid Co., Princeton, NJ; CDL:095139-K)
125181	American Cyanamid Co. (1976) Chemistry Data: Cycocel . (Com- pilation; unpublished study received Mar 15, 1976 under 6F1759; CDL:095134-A)
125182	American Cyanamid Co. (1975) Summary of the Toxicity Data on 2-Chlorethyl Trimethylammonium Chloride: CL 38,555. (Unpublished study received Mar 15, 1976 under 6F1759; CDL:095134-B)
125183	Levinskas, G.; Bushey, C.; Kunde, M.; et al. (1962) Report on 2- Chloroethyl Trimethylammonium Chloride; CL 38,555: Limited Re- lease Toxicity Studies: Report No. 62-14. (Unpublished study received Mar 15, 1976 under 6F1759; submitted by American Cyanamid Co., Princeton, NJ; CDL:095134-C)
125184	Roche, W. (1974) Acute Oral Toxicity in Beagle Dogs with Cycocel 4L: Contract No. 121-2322-54. Final rept. (Unpublished study received Mar 15, 1976 under 6F1759; prepared by Affiliated Medical Research, Inc., submitted by American Cyanamid Co., Princeton, NJ; CDL:095134-E)
125185	Deprospos, J. (1974) Acute Inhalation Study of Cycocel 4L in Rats: Contract No. 122-2321-54. Final rept. (Unpublished study received Mar 15, 1976 under 6F1759; prepared by Affiliated Medical Research, Inc., submitted by American Cyanamid Co., Princeton NJ; CDL:095134-F)
125186	Cox, G.; Bailey, D. (1975) Subacute (21-day) Dermal Toxicity Study in Rabbits with Cycocel 4 L: Laboratory No. 2367. (Unpublished study received Mar 15, 1976 under 6F1759; prepared by Food and Drug Research Laboratories, Inc., submitted by American Cyanamid Co., Princeton, NJ; CDL:095134-G)
125187	Oettel, H.; Frohberg, H. (1965) Report on Testing the Elimination of Chlorcholinechloride (CCC) after One Oral Administration in Rats: XV/163. (Unpublished study received Mar 15, 1976 under 6F1759; prepared by BASF, submitted by American Cyanamid Co., Princeton, NJ; CDL:095134-H)
125188	Oettel, H.; Schilling, B. (1965) Report on the Detoxification Experiments of Chlorocholine Chloride (CCC) with Atropine: XV/96. (Unpublished study received Mar 15, 1976 under 6F1759; prepared by BASF, submitted by American Cyanamid Co., Princeton, NJ; CDL:095134-I)

MRID	Citation Reference
125189	Oettel, H.; Frohberg, H. (1964) Report on the Three Months' Rat Feeding Test with Chlorcholinechloride in Powdered Feed: IXX/ 467, XIV/68. (Unpublished study received Mar 15, 1976 under 6F1759; prepared by BASF, submitted by American Cyanamid Co., Princeton, NJ; CDL:095134-J)
125190	Oettel, H.; Hofmann, H. (1964) Report on the Examination of the Chronic Oral Toxicity of Chlorcholinechloride in Cats. (Un- published study received Mar 15, 1976 under 6F1759; prepared by BASF, submitted by American Cyanamid Co., Princeton, NJ; CDL: 095134-K)
125191	BASF (1967) Final Report on Two Year Dog Feeding Experiment with Chlor- choline-chloride (CCC): XIV/145, 156. (Unpublished study received Mar 15, 1976 under 6F1759; submitted by American Cyanamid Co., Princeton, NJ; CDL:095134- L)
125192	Leuschner, F.; Leuschner, A.; Schwerdtfeger, W. (1967) The Chronic Toxicity of CCC: Chronic Reproductive Study in Three Generations of Wistar-rats. (Unpublished study received Mar 15, 1976 under 6F1759; submitted by American Cyanamid Co., Princeton, NJ; CDL: 095135-B)
125193	Oettel, H.; Frohberg, H. (1964) Report on the Testing of the Teratogenic Effect of Chlorcholinechloride on Mice: XIII/485. (Unpublished study received Mar 15, 1976 under 6F1759; prepared by BASF, submitted by American Cyanamid Co., Princeton, NJ; CDL: 095135-C)
125195	Oettel, H.; Frohberg, H. (1965) Report on the Testing of Chloro- cholinechloride (CCC) in Respect to Teratogenic Effects on Mice in Chronic Feeding Tests: XV/96. (Translation; unpublished study received Mar 15, 1976 under 6F1759; prepared by BASF, submitted by American Cyanamid Co., Princeton, NJ; CDL:095135-E)
125196	Oettel, H.; Frohberg, H. (1965) Report on Testing Chlorocholine- chloride (CCC) in Respect to Possible Teratogenic Effects in Feeding Tests on Rats: XV/96. (Translation; unpublished study received Mar 15, 1976 under 6F1759; prepared by BASF, submitted by American Cyanamid Co., Princeton, NJ; CDL:095135-F)
125197	Oettel, H.; Frohberg, H. (1965) Report on the Testing of Chloro-cholinechloride (CCC) in Respect to Possible Teratogenic Effects in Feeding Tests on Rabbits: XV/96. (Translation; unpublished study received Mar 15, 1976 under 6F1759; prepared by BASF, submitted by American Cyanamid Co., Princeton, NJ; CDL:095135-G)
125198	Bailey, D.; Morgareidge, K. (1975) Teratologic Evaluation of Cycocel in Rats: Laboratory 2288. (Unpublished study received Mar 15, 1976 under 6F1759; prepared by Food and Drug Research Laboratories, Inc., submitted by American Cyanamid Co., Prince- ton, NJ; CDL:095135-H)

MRID	Citation Reference
125199	Fletcher, D. (1972) Report to: 8-day Dietary LC50 Study with Cycocel Technical, 98% Pure in Mallard Ducks: IBT No. J1779. (Unpublished study received Mar 15, 1976 under 6F1759; prepared by Industrial Bio-Test Laboratories, Inc., submitted by American Cyanamid Co., Princeton, NJ; CDL:095135-J)
125211	Snyder, R. (1976) Letter sent to J. Cummings dated Dec 16, 1976: Cycocel residues in sugar cane, liver and milk. (Unpublished study received 1976 under 6F1759; prepared by U.S. Environmental Protection Agency, submitted by American Cyanamid Co., Princeton, NJ; CDL:095133-A)
125212	American Cyanamid Co. (1976) Chemistry of Cycocel Plant Growth Regulant . (Compilation; unpublished study received Mar 15, 1976 under 6F1759; CDL:095133-B)
125213	Fischer, J. (1979) Toxicity Data Report: Cycocel : Report No. A79- 96. (Unpublished study received 1979 under 6F1759; submitted by American Cyanamid Co., Princeton, NJ; CDL:095133-C)
125214	American Cyanamid Co. (1975) Toxicity of Cycocel Plant Growth Regulant to Mammals, Fish and Wildlife. (Unpublished study received Mar 15, 1976 under 6F1759; CDL:095133-D)
126869	Owen, P.; Sheppard, D.; Glaister, J. (1983) PGR A7/16 Acute Inhalation Toxicity Study--(LC50) in Rats--4 Hour Exposure: Report No. 3222-191/2. (Unpublished study received Apr 11, 1983 under 47361-EX-1; prepared by Hazleton Laboratories Europe, Ltd., Eng., submitted by Mandops, Inc., West Palm Beach, FL; CDL: 249993-A)
126870	Owen, P.; Sheppard, D.; Glaister, J. (1983) PGR S8/16 Acute Inhalation Toxicity Study--(LC50) in Rats--4 Hour Exposure: Report No. 3221-191/3. (Unpublished study received Apr 11, 1983 under 47361-EX-1; prepared by Hazleton Laboratories Europe, Ltd., Eng., submitted by Mandops, Inc., West Palm Beach, FL; CDL: 249994-A)
126871	Gunn, J.; Goodwin, M.; Wood, C. (1982) Further Acute Oral Toxicity Study in the Rat--PGR/4A: Ref. No. 148/8210. (Unpublished study received Apr 11, 1983 under 47361-EX-1; prepared by Toxicol Laboratories, Ltd., Eng., submitted by Mandops, Inc., West Palm Beach, FL; CDL:249995-A)
126872	Gunn, J.; Goodwin, M. (1982) Acute Oral LD50 Study in the Rat-- PGR/4A: Ref. No. 246/8207. (Unpublished study received Apr 11, 1983 under 47361-EX-1; prepared by Toxicol Laboratories, Ltd., Eng., submitted by Mandops, Inc., West Palm Beach, FL; CDL: 249995-B)
126873	Gunn, J.; Goodwin, M.; Wood, C. (1982) Further Acute Oral Toxicity Study in the Rat--PGR/6S: Ref. No. 146/8210. (Unpublished study received Apr 11, 1983 under

MRID	Citation Reference
	47361-EX-1; prepared by Toxicol Laboratories, Ltd., Eng., submitted by Mandops, Inc., West Palm Beach, FL; CDL:249996-A)
126874	Goodwin, M.; Gunn, J. (1982) Acute Oral LD50 Study in the Rat-- PGR/6S: Ref. No. 245/8207. (Extract; unpublished study received Apr 11, 1983 under 47361-EX-1; prepared by Toxicol Laboratories, Ltd., Eng., submitted by Mandops, Inc., West Palm Beach, FL; CDL:249996-B)
127776	Deprospro, J. (1974) Acute Inhalation Study of Cycocel 4L in Rats: Contract No.: 122-2321-54. Final rept. (Unpublished study received Jun 26, 1974 under 241-EX-66; prepared by Affiliated Medical Research, Inc., submitted by American Cyanamid Co., Princeton, NJ; CDL:249758-A)
133656	American Cyanamid Co. (1965) Toxicity Data: Cycocel 11.8% ; Report 65-5. (Unpublished study received Oct 23, 1970 under unknown admin. no.; CDL:107910-A)
137642	Haugwitz, M.; Eisner, S. (1975) Cycocel Plant Growth Regulant: A Study of Its Behavior in an Hydrolytic and in a Photolytic Environment: PD-M 12:1270-1290. Progress rept. Jul 18, 1975 to Aug 30, 1975. (Unpublished study received Feb 28, 1984 under 241- EX-103; submitted by American Cyanamid Co., Princeton, NJ; CDL: 072397-A)
137643	BASF AG (1982) Behaviour of Pesticides in Water: Chloromequat- chloride, CCC . (Unpublished study received Feb 28, 1984 under 241-EX-103; submitted by American Cyanamid Co., Princeton, NJ; CDL:072397-B)
137644	Marei, A. (1973) Cycocel Plant Growth Regulant: Fate of Carbon-14 Chlorocholine Chloride in Soil: PD-M 10:65-112. Progress rept. Nov 22, 1971 to Jul 20, 1972 and Feb 2, 1973 to Mar 22, 1973. (Unpublished study received Feb 28, 1984 under 241-EX-103; sub- mitted by American Cyanamid Co., Princeton, NJ; CDL:072397-C)
137645	Jung, J. (1975) Degradation Studies on Cycocel (CCC + CC) in Various Soils. (Translation; unpublished study received Feb 28, 1984 under 241-EX-103; prepared by BASF AG, W. Ger., submitted by American Cyanamid Co., Princeton, NJ; CDL:072397-D)
137646	American Cyanamid Co. (1975) Residue of Cycocel in Various Soils . (Compilation; unpublished study received Feb 28, 1984 under 241- EX-103; CDL:072397-E)
137647	American Cyanamid Co. (1974) Leaching Behaviour of Cycocel . (Compilation; unpublished study received Feb 28, 1984 under 241- EX-103; CDL:072397-H)
137648	Jung, J. (1974) Leaching Behaviour of Cycocel. (Translation; un-published study received Feb 28, 1984 under 241-EX-103; prepared by BASF, W. Ger., submitted by American Cyanamid Co., Princeton, NJ; CDL:072397-I)

MRID	Citation Reference
137649	Jung, J.; Hulsmann, J. (1974) Determination of the Growth Regulator Chlorocholine Chloride (CCC) in Soil and Leaching Water: Report No. 1221. (Translation; unpublished study received Feb 28, 1984 under 241-EX-103; prepared by BASF, W. Ger., submitted by American Cyanamid Co., Princeton, NJ; CDL:072397-J)
137650	Jung, J.; Otto, S. (1975) An Investigation into the Leaching of U 46 and Cycocel from the Top Soil by Means of Lysimeters: Report No. 1294. (Unpublished study received Feb 28, 1984 under 241- EX-103; prepared by BASF, W. Ger., submitted by American Cyana-mid Co., Princeton, NJ; CDL:072397-K)
137651	Jung, J. (1964) Influence of Choline Dichloride (CCC) on Biological Processes in the Soil. (Unpublished study received Feb 28, 1984 under 241-EX-103; submitted by American Cyanamid Co., Princeton, NJ; CDL:072397-M)
138710	BASF (1979) Study of the Prenatal Toxicity of 2-chloroethyltri- methylammonium chloride ... on Rabbits. (Unpublished study received Feb 28, 1984 under 241-EX-103; CDL:072391-A)
138711	Leuschner, F. (1975) Study of the Effect of the Dietary Administration of CCC + CC (Mixture of Chlorocholine Chloride and 41% of Choline Chloride) on the Prenatal, Perinatal and Postnatal Development of Rats. (Unpublished study received Feb 28, 1984 under 241-EX-103; prepared by Laboratory of Pharmacology, and Toxicology, submitted by American Cyanamid Co., Princeton NJ; CDL:072391-B)
138712	Leuschner, F.; Leuschner, A.; Schwerdtfeger, W. (1967) The Chronic Toxicity of CCC: Chronic Reproductive Study in Three Generations of Wistar-Rats. (Unpublished study received Feb 28, 1984 under 241-EX-103; prepared by Laboratory of Pharmacology and Toxicology, submitted by American Cyanamid Co., Princeton, NJ; CDL: 072392-A)
138713	Leuschner, F.; Hubscher, F.; Dontenwill, W. (1975) Trail of the Long-term Tolerance of a Mixture of Chloro-choline Chloride(CCC) and Choline Chloride (CC) - Abbreviated to CCC + CC - in a Reproduction Experiment over Three Generations on Sprague-Dawley Rats. (Unpublished study received Feb 28, 1984 under 241-EX-103; prepared by Laboratory of Pharmacology and Toxicology, submitted by American Cyanamid Co., Princeton, NJ; CDL:072392-B)
138714	Ulland, B.; Gordon, E.; Cardy, R.; et al. (1979) Bioassay of (2- Chloroethyl) Trimethylammonium Chloride (CCC) for Possible Carcinogenicity. By National Institutes of Health, National Center Institute, Div. of Cancer Cause and Prevention, Carciogenesis Testing Program. Bethesda, MD: U.S. Dept. of Health, Education, and Welfare. (National Cancer Institute, Carcinogenesis, Technical report series No. 158; also In unpublished submission received Feb 28, 1984 under 241-EX-103; submitted by American Cyanamid Co., Princeton, NJ; CDL:072393-D)

MRID	Citation Reference
138715	Ross, D.; Burroughs, S; Roberts, N. (1974) The Acute Toxicity (LD50) of Two Formulations of Cycocel to the Pheasant: BSF55/ 74910. (Unpublished study received Feb 28, 1984 under 241-EX- 103; prepared by Huntingdon Research Centre, Eng., submitted by American Cyanamid Co., Princeton, NJ; CDL:072394-A)
138716	Ross, D.; Roberts, N. (1974) The Acute Toxicity (LD50) of Two Formulations of Cycocel to the Japanese Quail: BSF55/74727. (Unpublished study received Feb 28, 1984 under 241-EX-103; prepared by Huntingdon Research Centre, Eng., submitted by American Cyanamid Co., Princeton, NJ;CDL:072394-B)
138717	Fletcher, D. (1972) Report to American Cyanamid Co. 8-Day Dietary LC50 Study with Cycocel Technical, 98% Pure in Ringneck Pheasants: IBT No. J1780. (Unpublished study received Feb 28, 1984 under 241-EX-103, submitted by American Cyanamid Co., Princeton, NJ; CDL:072394-C)
138718	Fletcher, D. (1972) Report to American Cyanamid Co. 8-day Dietary LC50 Study With Cycocel Technical, 98% Pure in Mallard Ducks: IBT No. J1779. (Unpublished study received Feb 28, 1984 under 241-EX-103; submitted by American Cyanamid Co., Princeton, NJ; CDL:072394-D)
138719	Mueller. (1981) Determination of the Acute Toxicity of Chlormequat chloride BAS 062-W to the Waterflea Daphnia magna Straus. (Un- published study received Feb 28, 1984 under 241-EX-103; prepared by BASF AG, submitted by American Cyanamid Co., Princeton, NJ; CDL:072394-G)
139022	American Cyanamid Co. (1983) Residue: Cycocel on Cereals & Other Food Commodities . (Compilation; unpublished study received Feb 28, 1984 under 241-EX-103; CDL:072395-A; 072396)
140110	American Cyanamid Co. (1975) General Summary: Cycocel Plant Growth Regulant . (Unpublished study received Mar 15, 1976 under 6F1759; CDL:095941-A)
140111	Marei, A.; Higham, J. (1973) Cycocel Plant Growth Regulant: Fate of Carbon-14 Chlorocholine Chloride in Sugarcane Grown in Hawaii: Project No. 2-524. Progress rept., Apr 6, 1973. (Unpublished study received Mar 15, 1976 under 6F1759; submitted by American Cyanamid Co., Princeton, NJ; CDL:095941-B)
140112	Blinn, R.; Gatterdam, P.; Champagne, D. (1965) Cycocel Plant Growth Regulant: A Study of 2-Chloroethyl Trimethylammonium Chloride in a Rat: Project No. 35-54-3-15-25. Progress rept., Nov 5, 1965. (Unpublished study received Mar 15, 1976 under 6F1759; submitted by American Cyanamid Co., Princeton, NJ; CDL:095941-C)
140113	Marei, A. (1973) Cycocel Plant Growth Regulant: Fate of Carbon-14 Chlorocholine Chloride in Soil: Project No. 2-524. Progress rept., Jul 25, 1973. (Unpublished study received Mar 15, 1976 under 6F1759; submitted by American Cyanamid Co., Princeton, NJ; CDL:095941-D)

MRID	Citation Reference
140114	Haugwitz, M.; Adams, C. (1975) Excretion, Residual Radioactivity, and Biochemical Behavior of 14C-Cycocel Plant Growth Regulator in Lactating Goats: Project No. 2-524. Progress rept., Oct 1, 1975. (Unpublished study received Mar 15, 1976 under 6F1759; submitted by American Cyanamid Co., Princeton, NJ; CDL:095941-E)
163390	American Cyanamid Co. (1983) Name, Chemical and Physical Properties of Cycocel Plant Growth Regulant. Unpublished compilation. 49 p.
163391	American Cyanamid Co. (1976) [Toxicology and Residue Studies of Chlormequat]. Unpublished compilation. 40 p.
163392	Hofmann, H. (1975) Acute Oral Toxicity of Chlorocholine Chloride (CCC) to the Rat: Test No. XXIV/407. Unpublished study prepared by BASF Corp. 5 p.
163393	Gelbke (1978) Report on the Examination of the Acute Dermal Toxicity of Chlormequat-chloride...in the Rat: Compound 78/390. Unpublished study prepared by BASF Corp. 3 p.
163394	Grundler, O. (1981) Study of the Primary Irritation of "Chlormequat-chlorid...to the Eye of White Rabbits: Report 80/296. Unpublished study prepared by BASF Corp. 7 p.
163395	Buch, S.; Gardner, J. (1980) chlormequat chloride: Primary Skin Irritation Study in Rabbits: No. 80/BAS001/496; WNT No. 80/296. Unpublished study prepared by Life Science Research. 12 p.
163396	Zeller, H.; Klimisch, H. (1979) Report on the Investigation of the Acute Inhalation Toxicity LC50 of chlormequat chloride... after 4-hour Exposure in the Sprague-Dawley Rats: No. 78/390. Unpublished study prepared by BASF Corp. 14 p.
163397	Gelbke (1978) Study of the Acute Oral Toxicity of chlormequat chloride 750 BASF on Rats. Unpublished study prepared by BASF Corp. 7 p.
163398	Gelbke (1978) Report on the Examination of the Acute Dermal Toxicity of Chlormequat-chloride 750 BASF in the Rat. Unpublished study prepared by BASF Corp. 3 p.
163399	Gelbke (1978) Primary Irritation of Chlormequat-chloride 750 BASF to the Eyes of White Rabbits. Unpublished study prepared by BASF. 5 p.
163400	Zeller, H.; Klimisch, H. (1979) Report on the Investigation of the Acute Inhalation Toxicity LC50 of Chlormequat-chloride 750 BASF after 4-hour Exposure in Sprague-Dawley Rats. Unpublished study prepared by BASF. 14 p.
163401	Gelbke (1978) Primary Skin Irritation of Chlormequat-chloride 750 BASF on the Intact and Scarified Dorsal Skin of White Rabbits. Unpublished study prepared by BASF Corp. 4 p.

MRID	Citation Reference
163402	Zeller, H.; Engelhardt, G. (1979) Report on the Testing of... in the Ames Test: Chloromequat-chloride. Unpublished study prepared by BASF Corp. 16 p.
163403	Zeller, H.; Engelhardt, G. (1983) Report on the Study of 2-Chloro-ethyltrimethylammonium Chloride...in the Dominant Lethal Test on Male Mice after Single Oral Administration. Unpublished translation of study prepared by B. Byrt. 69 p.
163404	Leuschner, F. (1975) Study of Possible Mutagenicity of 59% Chlorcholinchloride (CCC) and 41% Cholinchloride (CC)... on the Bone Marrow Cells of Treated Chinese Hamsters. Unpublished study prepared by Laboratorium fuer Pharmakologie und Toxikologie. 9 p.
163405	Leuschner, F. (1975) Study of the Mutagenic Effect (Dominant Lethal Factors) of Chlorocholine Chloride (CCC) and Choline Chloride ...on the Male Mouse following Oral Administration. Unpublished Unpublished study prepared by Laboratory of Pharmacology and Toxicology. 87 p.
163406	Sussmuth, R.; Lingens, F. (1976) Mutagenic actions of chlorocholine chloride. Mutation Research 40:229-236.
163407	Kramers, P.; Knaap, A.; Voogd, C. (1975) Lack of mutagenicity of chlormequat chloride in Drosophila and in bacteria. Mutation Research 31:65-68.
163408	Tanabe, M.; Nagao, S. (1981) Three-month Subacute Dietary Toxicity of Cycocel in Rats: Project No. 523-JA-02-91, P-457. Unpublished study prepared by Animal Research Corp. and Nihon University, Faculty of Agric. and Veterinary Medicine. 58 p.
5012142	Lloyd-Jones, C.P. (1973) The absorption of chlormequat and SADH into leaves of fruit plants. Acta Horticulturae 34(1):79-84.
5018842	Kochba, J.; Spiegel-Roy, P.; Neumann, H.; Saad, S. (1978) Stimulation of embryogenesis in citrus ovular callus by ABA, ethephon, CCC and Alar and its suppression by GAI3 ⁺ . Zeitschrift fuer Pflanzenphysiologie 89(5):427-432.
41721600	American Cyanamid Co. (1990) Submission of Chemistry and Toxicity Data in Support of Reregistration for Cycocel Plant Growth Regu- lant. Transmittal of 10 studies.
41721601	American Cyanamid Co. (1990) Product Identity and Disclosure of Ingredients Cycocel MP. Unpublished study. 24 p.
41721602	American Cyanamid Co. (1990) Analysis and Certification of Product Ingredients of Cycocel MP. Unpublished study. 93 p. p.
41721603	American Cyanamid Co. (1990) Physical and Chemical Characteristics of Cycocel

MRID	Citation Reference
	MP. Unpublished study. 19 p.
41721604	Lowe, C. (1990) Oral LD50 Study in Albino Rats with AC 38,555: Lab Project Number: T-0238. Unpublished study prepared by American Cyanamid Co. 13 p.
41721605	Fischer, J. (1990) Dermal LD50 Study in Albino Rabbits with AC 38, 555 Liquid Technical: Lab Project Number: T-0237. Unpublished study prepared by American Cyanamid Co. 12 p.
41721606	Hersman, R. (1990) AC 38,555: Acute Inhalation Toxicity, Single Level, 4-hour Exposure--Rats: Lab Project Number: 90-6921A. Unpublished study prepared by Biosearch Inc. 51 p.
41721607	Lowe, C. (1990) Eye Irritation Study in Albino Rabbits with AC 38, 555 Technical: Lab Project Number: T-0233. Unpublished study prepared by American Cyanamid Co. 12 p.
41721608	Fischer, J. (1990) Skin Irritation Study in Albino Rabbits with AC 38,555 Liquid Technical: Lab Project Number: T-0236. Unpublished study prepared by American Cyanamid Co. 12 p.
41721609	Ventura, P. (1990) Dermal Sensitization Study with AC 38,555... in Guinea Pigs: Lab Project Number: 90-6919A. Unpublished study prepared by Biosearch, Inc. 31 p.
41721610	Traul, K. (1990) Evaluation of CL 38,555 in a Microbial/Microsome Mutagenicity Test: Lab Project Number: 90-02-001. Unpublished study prepared by American Cyanamid Co. 34 p.
41798100	American Cyanamid Co. (1991) Submission of mutagenicity data to support the registration of Cycocel Plant Growth Regulant. Transmittal of 3 studies.
41798101	Sharma, R. (1991) Evaluation of Cycocel (CL 38,555) in the in Vivo Chromosome Aberration Assay in the Rat Bone Marrow Cells: Final Report: Lab Project Number: 90-14-001. Unpublished study prepared by American Cyanamid Co., Genetic Tox Lab. 55 p.
41798102	Traul, K. (1990) Evaluation of CL 38,555 in the Mammalian Cell CHO/ HGPRT Mutagenicity Test: Final Report: Lab Project Number: 90- 05-001. Unpublished study prepared by American Cyanamid Co., Genetic Tox Lab. 43 p.
41798103	Pant, K. (1990) Test for Chemical Induction of Unscheduled DNA Synthesis in Rat Primary Hepatocyte Cultures by Autoradiography with AC 38,555: Lab Project Number: 971-90-148. Unpublished study prepared by Sitek Research Labs. 33 p.
42246600	American Cyanamid Co. (1992) Submission of product chemistry data to support the reregistration application for Cyclocel Plant Growth Regulant. Transmittal of 11

MRID	Citation Reference
	studies.
42246601	Ohnsorge, U. (1991) Product Identity and Composition of Chloromequat-Chloride: Lab Project Number: 3258. Unpublished study prepared by B.A.S.F. Aktiengesellschaft. 30 p.
42246602	Genari, G. (1991) Analysis and Certification of Product Ingredients of Cycocel MP: Lab Project Number: 3257: 3209: 3259: 0/91/32878-32882. Unpublished study prepared by B.A.S.F. Aktiengesellschaft. 128 p.
42246603	Goad, M. (1991) Twenty-One Day Dermal Toxicity Study with AC 38,555 in Rabbits: Lab Project Number: 67745-00: 971-91-114. Unpublished study prepared by Arthur D. Little. 215 p.
42246604	Lochry, E. (1990) An Oral Developmental Toxicity (Embryo-Fetal Toxicity/Teratogenicity) Definitive Study with AC 38,555 in Rats: Lab Project Number: 971-90-108; 101-011. Unpublished study prepared by Argus Labs, Inc. 411 p.
42246605	Garber, M. (1989) Cycocel Plant Growth Regulant Product Identity and Composition (End-use Water-soluble Formulation): Unpublished study prepared by American Cyanamid Co. 10 p.
42246606	Wu, H. (1990) Cycocel Plant Growth Regulant 11.8 Percent WS Formulation Certification of Limits, Analytical Method and Validation of a Method to Verify Certified Limits: Lab Project Number: C-3492. Unpublished study prepared by American Cyanamid Co. 29 p.
42246607	Legendziewicz, G. (1991) Cycocel Plant Growth Regulant Physical and Chemical Characteristics of the End-Use Water Soluble 11.8 percent ai Formulation: Lab Project Number: F-1065. Unpublished study prepared by American Cyanamid Co. 41 p.
42246608	Lowe, C. (1990) Oral LD50 Study in Albino Rats with AC 38,555 11.8 percent Formulation: Lab Project Number: T-0239; A90-134. Unpublished study prepared by American Cyanamid Co. 15 p.
42246609	Fischer, J. (1990) Dermal LD50 Study in Albino Rats with AC 38,555 11.8 percent Formulation: Lab Project Number: T-0240. Unpublished study prepared by American Cyanamid Co. 13 p.
42246610	Lowe, C. (1990) Eye Irritation Study in Albino Rabbits with AC 38,555 11.8 percent Formulation: Lab Project Number: T-0234: A90-142. Unpublished study prepared by American Cyanamid Co. 14 p.
42246611	Fischer, J. (1990) Skin Irritation Study in Albino Rabbits with AC 83,555 11.8

MRID	Citation Reference
	Percent Formulation: Lab Project Number: T-0235: A90-88. Unpublished study prepared by American Cyanamid Co. 14 p.
42388000	TransAgra International (1992) Submission of Data To Support Registration of PGR Plus: Toxicology Study. Transmittal of 3 studies.
42388001	Kiplinger, G. (1992) Acute Dermal Toxicity Study in Albino Rats with PGR: Final Report: Lab Project Number: WIL-185001. Unpublished study prepared by WIL Research Labs., Inc. 24 p.
42388002	Kiplinger, G. (1992) Skin Sensitization Study in Albino Guinea Pigs with PGR Plus: Final Report: Lab Project Number: WIL-185002. Unpublished study prepared by WIL Research Labs., Inc. 42 p.
42388003	Naas, D. (1992) An Acute Inhalation Toxicity Study of PGR plus in Rats: Final Report: Lab Project Number: WIL-185003. Unpublished study prepared by WIL Research Labs., Inc. 59 p.
42449400	BASF Corp. (1992) Submission of reproduction toxicity data to support the registration of Chlormequat chloride. Data submitted under FIFRA 6(a)(2) status. Transmittal of 1 study.
42449401	BASF Aktiengesellschaft (1992) Results of a Two-Generation Reproduction Toxicity Study with chlormequat chloride: First Preliminary Report: Lab Project Number: 92/10718. Unpublished study. 3 p.
42579200	American Cyanamid Co. (1992) Submission of product chemistry data in support of the reregistration of Chloroethyl trimethyl ammonium chloride (CYCOCEL Plant Growth Regulant). Transmittal of 1 study.
42579201	Kimler, J. (1992) Physical and Chemical Characteristics of Cycocel MP: Lab Project Number: F-1118. Unpublished study prepared by American Cyanamid Co. 14 p.
42905000	BASF Corp. (1993) Submission of Toxicology Data for chlormequat chloride in Support of FIFRA 6(a)(2). Transmittal of 1 Study.
42905001	Tobia, A. (1993) Letter Sent to B. Sidwell dated Aug. 30, 1993: Response to a review of toxicological data submitted under FIFRA 6(a)(2)--your letter dated Mar. 12, 1993: chlormequat chloride. Prepared by BASF Corp. 2 p.
44957900	American Cyanamid Company (1999) Submission of Residue Data in Support of the Reregistration of the chlormequat chloride Containing Product of CYCOCEL. Transmittal of 2 Studies.
44957901	Bixler, T.; Gross, J. (1998) CL 38555 (chlormequat chloride): Capillary Electrophoresis (CE) Method for the Determination of CL 38555 in Dislodgeable Residues of Geranium and Azalea Leaves: Lab Project Number: RES98-160:

MRID	Citation Reference
	AO11.277: 520. Unpublished study prepared by American Cyanamid Company and Maxim Technologies, Inc. 49 p. {OPPTS 860.1340}
44957902	Kleiner, A. (1999) Determination of Dislodgeable Foliar Residues of CYCOCEL: Lab Project Number: RES98-160: CY264: CC98M002. Unpublished study prepared by Stewart Ag Research Services and Analytical Bio-Chemistry Labs., Inc. 162 p. {OPPTS 860.1340}
46685700	Etigra, LLC (2005) Submission of Product Chemistry and Toxicity Data in Support of the Application for Registration of ET-013. Transmittal of 9 Studies.
46685701	Kellogg, M. (2005) Product Identity and Composition, Description of the Materials Used, Description of the Formulation Process, Discussion of the Formation of Impurities, Certified Limits, and Analytical Methods to Verify Certified Limits for ET-013. Project Number: ET/200514. Unpublished study prepared by Etigra LLC. 65 p.
46685702	Wo, C. (2005) Physical and Chemical Characteristics: Physical State, Oxidation/Reduction, pH, Viscosity, and Density/Relative Density. Project Number: 17927, P801. Unpublished study prepared by Product Safety Laboratories. 16 p.
46685703	Kellogg, M. (2005) Waiver Request for Certain Data Requirements for ET-013. Project Number: ET/200515. Unpublished study prepared by Etigra LLC. 7 p.
46685704	Durando, J. (2005) Acute Oral Toxicity Up and Down Procedure in Rats: ET-013. Project Number: 17928, P320/UDP. Unpublished study prepared by Product Safety Laboratories. 16 p.
46685705	Durando, J. (2005) Acute Dermal Toxicity Study in Rats - Limit Test: ET-013. Project Number: 17929, P322. Unpublished study prepared by Product Safety Laboratories. 15 p.
46685706	Durando, J. (2005) Acute Inhalation Toxicity Study in Rats - Limit Test: ET-013. Project Number: 17930, P330. Unpublished study prepared by Product Safety Laboratories. 23 p.
46685707	Durando, J. (2005) Primary Eye Irritation Study in Rabbits: ET-013. Project Number: 17931, P324. Unpublished study prepared by Product Safety Laboratories. 15 p.
46685708	Durando, J. (2005) Primary Skin Irritation Study in Rabbits: ET-013. Project Number: 17932, P326. Unpublished study prepared by Product Safety Laboratories. 16 p.
46685709	Durando, J. (2005) Dermal Sensitization Study in Guinea Pigs (Buehler Method): ET-013. Project Number: 17933, P328. Unpublished study prepared by Product Safety Laboratories. 23 p.

MRID	Citation Reference
46686200	Etigra LLC (2005) Submission of Product Chemistry Data in Support of the Application for Registration of ET-012. Transmittal of 5 Studies.
46686201	Kay, J. (2005) Product Identity and Composition, Description of the Materials Used, Description of the Production Process, Discussion of the Formation of Impurities, and Certified Limits for ET-012. Project Number: ET/200534. Unpublished study prepared by Etigra LLC. 36 p.
46686202	Thomson, M. (2005) Preliminary Analysis: ET-012. Project Number: 17844, P809MS. Unpublished study prepared by Product Safety Laboratories. 25 p.
46686204	Wo, C. (2005) Physical and Chemical Characteristics: Color, Physical State, Odor, Stability to Normal and Elevated Temperature, pH, UV/Visible Absorption, Melting Point, Bulk Density, Dissociation Constant, Partition Coefficient and Solubility: chlormequat chloride Purified Active Ingredient. Project Number: 18154, P804/TGAI. Unpublished study prepared by Product Safety Laboratories. 48 p.
46686205	Kay, J. (2005) Waiver Request for Certain Data Requirements for ET-012. Project Number: ET/200537. Unpublished study prepared by Etigra LLC. 7 p.
46715200	BASF Corp. (2005) Submission of Toxicity, Fate and Environmental Fate Data in Support of the Amended Registration of Cycocel Plant Growth Regulant. Transmittal of 33 Studies.
46715201	Mellert, W. (1993) Report on the Study of the Toxicity of Chlormequat-Chloride in Beagle Dogs Administration via the Diet over 12 Months. Project Number: 33D0580/87120, 1993/11109. Unpublished study prepared by BASF Aktiengesellschaft, Labor fuer Oekotoxicologie. 879 p.
46715202	Schilling, K. (1992) Study of the Chronic Toxicity of Chlormequat-Chloride in Wistar Rats Administration via the Diet over 18 Months. Project Number: 60S0580/87046, 1992/10627. Unpublished study prepared by BASF Aktiengesellschaft, Labor fuer Oekotoxicologie. 890 p.
46715203	Mellert, W. (1992) Study of the Potential Carcinogenic Effect of Chlormequat-Chloride in Wistar Rats Administration via the Diet over 24 Months. Project Number: 71S0580/87047, 1992/11094. Unpublished study prepared by BASF Aktiengesellschaft, Labor fuer Oekotoxicologie. 1651 p.
46715204	Mellert, W. (1994) Study of the Potential Carcinogenic Effect of Chlormequat-Chloride in B6C3F1 Rats Dietary Administration for 110 Weeks. Project Number: 80S0580/87098, 1994/10024. Unpublished study prepared by BASF Aktiengesellschaft, Labor fuer Oekotoxicologie. 1717 p.
46715205	Hofmann, H.; Werkle, J. (1979) Study of the Prenatal Toxicity of 2-Chloroethyltrimethylammonium Chloride (chlormequat chloride) on Rabbits. Project

MRID	Citation Reference
	Number: 1979/051. Unpublished study prepared by BASF Aktiengesellschaft, Labor fuer Oekotoxicologie. 95 p.
46715206	Hellwig, J.; Hildebrand, B. (1993) Reproduction Toxicity Study with Chlormequat-Chloride in Rats Continuous Dietary Administration Over 2 Generations (2 Litters in the First and 1 Litter in the Second Generation). Project Number: 71R0580/87099, 1993/10982. Unpublished study prepared by BASF Aktiengesellschaft, Labor fuer Oekotoxicologie. 1016 p.
46715207	Giese, U. (1989) Metabolism and Biokinetics of (Carbon 14)-Chlormequat-Chloride ((Carbon 14)-BAS 062 W) in Rats: Part A - Absorption, Elimination, Distribution of (Carbon 14)-BAS 062 W in Rats. Project Number: NA/87/9749, 1989/0597. Unpublished study prepared by Natec Institut fuer Naturwissenschaftlich Tech Dienste Gmbh. 171 p.
46715208	Giese, U. (1988) Metabolism and Biokinetics of (Carbon 14)-Chlormequat-Chloride ((Carbon 14)-BAS 062 W) in Rats: Part B - Metabolic Fate of (Carbon 14)-BAS 062 W in Rats. Project Number: NA/87/9748, 1989/0275. Unpublished study prepared by NATEC Institut fuer Naturwissenschaftlich Tech Dienste Gmbh. 207 p.
46715209	Buch, S.; Finn, J. (1981) chlormequat chloride - Sub-Chronic Dermal Toxicity in Rabbits over 21 Days. Project Number: 81/BAS002/179, 1981/189. Unpublished study prepared by Life Science Research. 207 p.
46715210	Ross, D.; Roberts, N. (1974) The Acute Toxicity (LD50) of Two Formulations of Cycocel to the Japanese Quail. Project Number: BSF/55/74727, 1974/10039. Unpublished study prepared by Huntingdon Research Centre. 15 p.
46715211	Hakin, B.; Rodgers, M.; Norman, A. (1989) The Acute Oral Toxicity (LD50) of Stabilan (CCC) to the Japanese Quail. Project Number: LNZ/66/89691, 1989/1001583. Unpublished study prepared by Huntingdon Research Centre. 24 p.
46715212	Suresh, T. (1993) Avian Dietary (8 Days) Toxicity Study with Chlormequat-Chloride 720 g/L in Japanese Quail. Project Number: TOXI/1177/QU/AD, 1993/1002324. Unpublished study prepared by Rallis Research Centre, Rallis India. 22 p.
46715213	Gallagher, S.; Grimes, J.; Beavers, J. (2001) chlormequat chloride (CCC): A Dietary LC50 Study with the Mallard. Project Number: 514/101, 2001/1006190. Unpublished study prepared by Wildlife International, Ltd. 48 p.
46715214	Mitchell, L.; Beavers, J.; Jaber, M. (2001) chlormequat chloride (CCC): A Reproduction Study with the Japanese Quail. Project Number: 2001/1006189, 514/102. Unpublished study prepared by Wildlife International, Ltd. 153 p.
46715215	Thun, S. (1993) 21 D Reproduction Test in Daphnia, Test Article: "chlormequat chloride". Project Number: 80/91/2309/05/93, 1993/1002328. Unpublished study

MRID	Citation Reference
	prepared by IBR Forschungs GmbH. 80 p.
46715216	Elendt-Schneider (1991) Determination of the Chronic Toxicity of BAS 062 W to the Water Flea Daphnia Magna Straus. Project Number: 1/90/0942/51/1, 1991/10137. Unpublished study prepared by BASF Aktiengesellschaft, Labor fuer Oekotoxicologie. 41 p.
46715217	Thun, S. (1993) Prolonged Toxicity Test in the Rainbow Trout (<i>Oncorhynchus mykiss</i>) Test Article: "chlormequat chloride". Project Number: 80/91/2309/04/93, 1993/1002327. Unpublished study prepared by IBR Forschungs GmbH. 49 p.
46715218	Bogers, M. (1991) 21-Day Prolonged Toxicity Study with Stabilan in the Rainbow Trout. Project Number: 1250/FP9//001046, 1991/1002363. Unpublished study prepared by RCC Umweltchemie Ag and Notox B.V. 38 p.
46715219	Fiebig, S. (2001) CCC 720 Feinchemie - Terrestrial Plants Toxicity, Seedling Emergence, Tier II. Project Number: 010528FM, TNK72792, 2001/1017377. Unpublished study prepared by Dr. U. Noack-Laboratorien. 72 p.
46715220	Frank, P. (2001) BAS 062 03 W: A Toxicity Test to Determine the Effects of the Test Item on Vegetative Vigour of Terrestrial Plants: (Final Report). Project Number: 80035, 2001/1007667, BAS50. Unpublished study prepared by Staatliche Lehr- und Forschungsanstalt fuer. 49 p.
46715221	Hertl, J. (2001) Toxicity of CCC Techn. to the Aquatic Plant Lemna gibba in a Growth Inhibition Test: (Final Report). Project Number: 2001/7002203, 9482240, 2011001/01/UW. Unpublished study prepared by Institut fuer Biologische Analytik und Consulting IBACON. 55 p.
46715222	Wuthrich, V. (1990) Acute Toxicity of Stabilan to <i>Scenedesmus subspicatus</i> (OECD - Algae Growth Inhibition Test). Project Number: 230624, 1990/7001881. Unpublished study prepared by RCC Umweltchemie Ag. 49 p.
46715223	Hertl, J. (2000) Toxicity of CCC Techn. to <i>Anabaena flos-aquae</i> in an Algal Growth Inhibition Test: (Final Report). Project Number: 9481210, 2000/7001326, 2001/1021848. Unpublished study prepared by Institut fuer Biologische Analytik und Consulting IBACON. 44 p.
46715224	Schmitzer, S. (1999) Laboratory Testing for Toxicity (Acute Contact and Oral LD50) of CCC 750 on Honey Bees (<i>Apis mellifera</i> L.) (Hymenoptera, Apidae): (Final Report). Project Number: 6493036, 1999/1008202. Unpublished study prepared by Institut fuer Biologische Analytik und Consulting IBACON. 46 p.
46715225	Morgenroth, U.; Volkel, W. (1995) (Carbon 14)-Chlormequat-Chloride: Degradation and Metabolism in Soils Incubated under Aerobic Conditions. Project Number: 351821, 1998/10540. Unpublished study prepared by RCC Umweltchemie Ag. 72 p.

MRID	Citation Reference
46715226	Ebert, D.; Harder, U. (2000) Degradation of (Carbon 14)-Chloronicotinic Acid (Reg.No. 107371) in Soil under Aerobic Conditions: (Final Report). Project Number: 54518, 2000/1013280. Unpublished study prepared by BASF Aktiengesellschaft, Labor fuer Oekotoxicologie. 32 p.
46715227	Morganroth, U.; Volkl, S. (1995) (Carbon 14)-Chlormequat-Chloride: Degradation and Metabolism in Aquatic Systems. Project Number: 351843, 1998/10541. Unpublished study prepared by RCC Umweltchemie Ag. 100 p.
46715228	Morgenroth, U.; Burgener, A. (1994) Adsorption/Desorption of (Carbon 14)-Chlormequat-Chloride on Four Soils. Project Number: 1998/10564, 351832. Unpublished study prepared by RCC Umweltchemie Ag. 59 p.
46715229	Morgenroth, U. (1995) Adsorption/Desorption of (Carbon 14)-Chlormequat-Chloride on Three Soils. Project Number: 365545, 1998/10560. Unpublished study prepared by RCC Umweltchemie Ag. 60 p.
46715230	Zohner, A. (1995) (Carbon 14)-chlormequat chloride ((Carbon 14)-CCC): Aged Residue Leaching under Laboratory Conditions in One Soil. Project Number: M/94/27, 1231, 1998/10587. Unpublished study prepared by Agrolinz Melamin GmbH. 57 p.
46715231	Hanstveit, I. (2004) Estimation of the Rate of Degradation of chlormequat chloride in Soil at 10 (Degrees) (Celsius). Project Number: 2410/02, 2004/1030986. Unpublished study prepared by TNO Voeding. 10 p.
46715232	Vonk, J.; Muttzall, P. (1990) Biodegradability of Chlormequat-Chloride According to OECD Guideline 301B (Modified Sturm-Test). Project Number: 1990/1001892, R/90/028. Unpublished study prepared by TNO Voeding. 23 p.
46715233	Hund, K. (1991) Biotic Degradation: The Modified Miti Test. Project Number: STE/02/03/04, 1991/1002380. Unpublished study prepared by Fraunhofer Institut fuer Umweltchemie und Ecotoxikologie. 14 p.
46880500	BASF Corporation (2006) Submission of Product Chemistry Data in Support of the Registration of CYCOCEL Plant Growth Regulant. Transmittal of 1 Study.
46880501	Kastel, R. (2001) Surface Tension, Density and Vapour Pressure of Chlormequat-Chloride (PAI). Project Number: 2001/1006102, PCF02277. Unpublished study prepared by BASF Ag Research Station (BASF Aktieng). 20 p.
47030300	Etigra LLC (2007) Submission of Product Chemistry Data in Support of the Registration of ET-012. Transmittal of 1 Study.
47030301	Wo, C. (2006) ET-012: Storage Stability and Corrosion Characteristics. Project Number: 17846, P800, 050706/2H. Unpublished study prepared by Product Safety

MRID	Citation Reference
	Laboratories. 22 p.
47030400	Etigra LLC (2007) Submission of Product Chemistry Data in Support of the Registration of ET-013. Transmittal of 1 Study.
47030401	Wo, C. (2006) ET-013: Storage Stability and Corrosion Characteristics. Project Number: 17926, P800, 050718/3H. Unpublished study prepared by Product Safety Laboratories. 21 p.
47088300	Fine Agrochemicals Ltd. (2007) Submission of Product Chemistry Data in Support of the Application for Registration of Chlomequat Chloride Technical. Transmittal of 1 Study.
47088301	Smith, F. (2007) Discussion of Formation of Impurities and Certified Limits: (Chlomequat Chloride Technical). Unpublished study prepared by SciReg, Inc. 5 p.
47090200	Fine Agrochemicals Ltd. (2007) Submission of Product Chemistry and Toxicity Data in Support of the Application for Registration of Citadel. Transmittal of 9 Studies.
47090201	Smith, F. (2007) Product Identity and Composition, Description of Beginning Materials, Formulation Process, Discussion of Formation of Impurities, and Certified Limits. Project Number: UC80C2076/63421. Unpublished study prepared by SciReg Inc. 57 p.
47090202	Smith, F. (2007) Summary of the OPPTS 830 Series Physical-Chemical Properties Test Guidelines. Unpublished study prepared by SciReg Inc. 7 p.
47090203	Parsons, H. (2006) Generation of Chemical and Physical Data for the Chlomequat End-Use Product: Amended Interim Report. Project Number: J15671, FOR/05/032. Unpublished study prepared by G C Laboratories Ltd. 18 p.
47090204	Dreher, D. (2006) chlomequat chloride 11.8 Percent SL Formulation: Acute Oral Toxicity Study in the Female Rat (Acute Toxic Class): Final Report. Project Number: 2242/031, 01462733898. Unpublished study prepared by Covance Laboratories Ltd. 27 p.
47090205	Dreher, D. (2006) chlomequat chloride 11.8 Percent SL Formulation: Acute Dermal Toxicity Study in the Rat : Final Report. Project Number: 2242/032, 01462733898. Unpublished study prepared by Covance Laboratories Ltd. 26 p.
47090206	Janssen, P. (2006) Assessment of Acute Inhalation Toxicity with 11.8 Percent chlomequat chloride Formulation in the Rat. Project Number: 465839, 166068/A. Unpublished study prepared by Notox B.V. 35 p.
47090207	Dreher, D. (2006) chlomequat chloride 11.8 Percent SL Formulation: Eye Irritation Study in the Rabbit: Final Report. Project Number: 2242/034, 01462733898. Unpublished study prepared by Covance Laboratories Ltd. 24 p.

MRID	Citation Reference
47090208	Dreher, D. (2006) chlormequat chloride 11.8 Percent SL Formulation: Dermal Irritation Study in the Rabbit: Final Report. Project Number: 2242/033, 01452733898. Unpublished study prepared by Covance Laboratories Ltd. 24 p.
47090209	Dreher, D. (2006) chlormequat chloride 11.8 Percent SL Formulation: Local Nymph Node Assay in the Mouse (Individual Method): Final Report. Project Number: 2242/036, 01462733898. Unpublished study prepared by Covance Laboratories Ltd. 27 p.
47100500	Taminco N.V Inc. (2007) Submission of Product Chemistry Data in Support of the Application for Registration of chlormequat chloride Technical. Transmittal of 13 Studies.
47100501	Smith, F. (2007) Product Identity and Composition, Description of Beginning Material, and Production Process: (Chlomequat Chloride Technical). Unpublished study prepared by Taminco, n.v. 22 p.
47100502	Genari, G. (2003) Characterization of Five Batches of Technical chlormequat chloride: Final Report. Project Number: PCP06880, M/91/48/E, M/91/29/E. Unpublished study prepared by BASF Aktiengesellschaft, Labor fuer Oekotoxicologie. 47 p.
47100503	Ziegler, H. (1999) Development and Validation of the Analytical Method CF-A 583: Determination of Chlormequat-Chlorid in Soluble Concentrates (BAS 062 03 W): Final Report. Project Number: PCF/02028, 08/06/1999. Unpublished study prepared by BASF Aktiengesellschaft. 19 p.
47100504	Smith, F. (2007) Summary of the Physical-Chemical Properties Test Guidelines. Unpublished study prepared by SciReg, Inc. 8 p.
47100505	Kastel, R. (1999) Physical And Chemical Properties of BAS 062 03 W: (Chlomequat Chloride Technical): Final Report. Project Number: PCF02038, 99/11112, CF/P/062/4. Unpublished study prepared by BASF Aktiengesellschaft. 23 p.
47100506	Pession, G. (1998) Boiling Point of Belcocel Technico. Project Number: C/0603/98. Unpublished study prepared by Bioagril Laboratorios Ltda. 11 p.
47100508	Weissenfeld, M. (2006) Determination of the Water Solubility of chlormequat chloride Pure. Project Number: A49566. Unpublished study prepared by RCC Ltd. 20 p.
47100510	Daum, A. (2000) Determination of the Partition Coefficient (N-octanol/water) of chlormequat chloride (BAS 062W, Reg. No. 24605) at 2 Degree Celsius by Flask Shaking Method: Final Report. Project Number: PCP05666, DOCID/2000/1013492. Unpublished study prepared by BASF Aktiengesellschaft. 17 p.

MRID	Citation Reference
47100511	Gilbert, E. (1999) Statement on the Oxidizing Properties of chlormequat chloride 750 g/L. Project Number: 263892. Unpublished study prepared by Notox B.V. 11 p.
47100512	Gilbert, E. (1999) Determination of the Auto-Ignition Temperature (Liquids) of chlormequat chloride 750 g/L. Project Number: 263857. Unpublished study prepared by Notox B.V. 16 p.
47100513	Gilbert, E. (1999) Statement on the Explosive Properties of chlormequat chloride 750 g/L. Project Number: 263879. Unpublished study prepared by Notox B.V. 11 p.
47100514	Kastel, R. (2001) Shelf Life in Original Container of the Formulation BAS 062 03 W: 24 Months Storage-Physical Properties: (Chlormequat Chloride Technical): Final Report. Project Number: PCF02037, DOCID/2001/1014616, CF/P/038/5. Unpublished study prepared by BASF Aktiengesellschaft. 19 p.
47100515	Daum, A. (2000) UV-, NMR-, IR-, MS-Spectra of chlormequat chloride (Reg. No. 24605, BAS 062W): Final Report. Project Number: PCP05668, DOCID/2000/1013489, 2000/103/C13. Unpublished study prepared by BASF Aktiengesellschaft. 19 p.
47115300	Taminco, N.V (2007) Submission of Product Chemistry Data in Support of the Application for Registration of chlormequat chloride Technical. Transmittal of 2 Studies.
47115301	Kastel, R. (2007) Surface Tension, Density and Vapour Pressure of Chlormequat-Chloride (PAI): Final Report. Project Number: PCF02277, CF/P/014/13, CF/P/065/6. Unpublished study prepared by BASF Ag Research Station (BASF Aktieng). 16 p.
47115302	Ohnsorge, U. (2006) Dissociation Constant of chlormequat chloride . Project Number: 2001/1006083. Unpublished study prepared by BASF Ag Research Station (BASF Aktiengesellschaft). 6 p.
93001000	American Cyanamid Company (1990) Reregistration Phase 3 Response: Chloroethyl trimethyl ammonium chloride.
93001999	American Cyanamid Company (1990) Reregistration Phase 3 Response: Chloroethyl trimethyl ammonium chloride. Correspondence and Supporting Material.

Appendix E. Product Data Call-In (PDCI)

Appendix F. EPA's Batching of chlormequat chloride Products for Meeting Toxicity Data Requirements for Reregistration

EPA'S BATCHING OF CHLORMEQUAT CHLORIDE PRODUCTS FOR MEETING ACUTE TOXICITY DATA REQUIREMENTS FOR REREGISTRATION

In an effort to reduce the time, resources and number of animals needed to fulfill the acute toxicity data requirements for reregistration of products containing CHLORMEQUAT CHLORIDE as the active ingredient, the Agency has batched products which can be considered similar for purposes of acute toxicity. Factors considered in the sorting process include each product's active and inert ingredients (identity, percent composition and biological activity), type of formulation (e.g., emulsifiable concentrate, aerosol, wettable powder, granular, etc.), and labeling (e.g., signal word, use classification, precautionary labeling, etc.). Note that the Agency is not describing batched products as "substantially similar" since some products within a batch may not be considered chemically similar or have identical use patterns.

Using available information, batching has been accomplished by the process described in the preceding paragraph. Notwithstanding the batching process, the Agency reserves the right to require, at any time, acute toxicity data for an individual product should the need arise.

Registrants of products within a batch may choose to cooperatively generate, submit or cite a single battery of six acute toxicological studies to represent all the products within that batch. It is the registrants' option to participate in the process with all other registrants, only some of the other registrants, or only their own products within a batch, or to generate all the required acute toxicological studies for each of their own products. If a registrant chooses to generate the data for a batch, he/she must use one of the products within the batch as the test material. If a registrant chooses to rely upon previously submitted acute toxicity data, he/she may do so provided that the data base is complete and valid by today's standards (see acceptance criteria attached), the formulation tested is considered by EPA to be similar for acute toxicity, and the formulation has not been significantly altered since submission and acceptance of the acute toxicity data. Regardless of whether new data is generated or existing data is referenced, registrants must clearly identify the test material by EPA Registration Number. If more than one confidential statement of formula (CSF) exists for a product, the registrant must indicate the formulation actually tested by identifying the corresponding CSF.

In deciding how to meet the product specific data requirements, registrants must follow the directions given in the Data Call-In Notice and its attachments appended to the RED. The DCI Notice contains two response forms which are to be completed and submitted to the Agency within 90 days of receipt. The first form, "Data Call-In Response," asks whether the registrant will meet the data requirements for each product. The second form, "Requirements Status and Registrant's Response," lists the product specific data required for each product, including the standard six acute toxicity tests. A registrant who wishes to participate in a batch must decide whether he/she will provide the data or depend on someone else to do so. If a registrant supplies the data to support a batch of products, he/she must select one of the following options: Developing Data (Option 1), Submitting an Existing Study (Option 4), Upgrading an Existing Study (Option 5) or Citing an Existing Study (Option 6). If a registrant depends on another's data, he/she must choose among: Cost Sharing (Option 2), Offers to Cost Share (Option 3) or Citing an Existing Study (Option 6). If a registrant does not want to participate in a batch, the choices are Options 1, 4, 5 or 6. However, a registrant should know that choosing not to participate in a batch does not preclude other registrants in the batch from citing his/her studies and offering to cost share (Option 3) those studies.

Four products were found which contain Chlormequat chloride as the active ingredient. These products have been placed into two batches in accordance with the active and inert ingredients and type of formulation.

Batching Instructions:

NOTE: The technical acute toxicity values included in this document are for informational purposes only. The data supporting these values may or may not meet the current acceptance criteria.

Batch 1	EPA Reg. No.	Percent Active Ingredient
	241-256	63.0
	81959-11	63.0

Batch 2	EPA Reg. No.	Percent Active Ingredient
	241-74	11.8
	81959-12	11.8

Appendix G. List of Available Related Documents and Electronically Available Documents

Pesticide Registration Forms are available at the following EPA internet site:

<http://www.epa.gov/opprd001/forms/>

Pesticide Registration Forms (These forms are in PDF format and require the Acrobat reader)

Instructions

1. Print out and complete the forms. (Note: Form numbers that are bolded can be filled out on your computer then printed.)
2. The completed form(s) should be submitted in hardcopy in accord with the existing policy.
3. Mail the forms, along with any additional documents necessary to comply with EPA regulations covering your request, to the address below for the Document Processing Desk.

DO NOT fax or e-mail any form containing 'Confidential Business Information' or 'Sensitive Information.'

If you have any problems accessing these forms, please contact Nicole Williams at (703) 308-5551 or by e-mail at williams.nicole@epa.gov.

The following Agency Pesticide Registration Forms are currently available via the internet: at the following locations:

8570-1	Application for Pesticide Registration/Amendment	http://www.epa.gov/opprd001/forms/8570-1.pdf
8570-4	Confidential Statement of Formula	http://www.epa.gov/opprd001/forms/8570-4.pdf
8570-5	Notice of Supplemental Registration of Distribution of a Registered Pesticide Product	http://www.epa.gov/opprd001/forms/8570-5.pdf
8570-17	Application for an Experimental Use Permit	http://www.epa.gov/opprd001/forms/8570-17.pdf
8570-25	Application for/Notification of State Registration of a Pesticide To Meet a Special Local Need	http://www.epa.gov/opprd001/forms/8570-25.pdf
8570-27	Formulator's Exemption Statement	http://www.epa.gov/opprd001/forms/8570-27.pdf
8570-28	Certification of Compliance with Data Gap Procedures	http://www.epa.gov/opprd001/forms/8570-28.pdf
8570-30	Pesticide Registration Maintenance Fee Filing	http://www.epa.gov/opprd001/forms/8570-30.pdf

8570-32	Certification of Attempt to Enter into an Agreement with other Registrants for Development of Data	http://www.epa.gov/opprd001/forms/8570-32.pdf
8570-34	Certification with Respect to Citations of Data (PR Notice 98-5)	http://www.epa.gov/oppmsd1/PR_Notices/pr98-5.pdf
8570-35	Data Matrix (PR Notice 98-5)	http://www.epa.gov/oppmsd1/PR_Notices/pr98-5.pdf
8570-36	Summary of the Physical/Chemical Properties (PR Notice 98-1)	http://www.epa.gov/oppmsd1/PR_Notices/pr98-1.pdf
8570-37	Self-Certification Statement for the Physical/Chemical Properties (PR Notice 98-1)	http://www.epa.gov/oppmsd1/PR_Notices/pr98-1.pdf

Pesticide Registration Kit

www.epa.gov/pesticides/registrationkit/

Dear Registrant:

For your convenience, we have assembled an online registration kit which contains the following pertinent forms and information needed to register a pesticide product with the U.S. Environmental Protection Agency's Office of Pesticide Programs (OPP):

1. The Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Federal Food, Drug and Cosmetic Act (FFDCA) as Amended by the Food Quality Protection Act (FQPA) of 1996.
2. Pesticide Registration (PR) Notices
 - a. 83-3 Label Improvement Program--Storage and Disposal Statements
 - b. 84-1 Clarification of Label Improvement Program
 - c. 86-5 Standard Format for Data Submitted under FIFRA
 - d. 87-1 Label Improvement Program for Pesticides Applied through Irrigation Systems (Chemigation)
 - e. 87-6 Inert Ingredients in Pesticide Products Policy Statement
 - f. 90-1 Inert Ingredients in Pesticide Products; Revised Policy Statement
 - g. 95-2 Notifications, Non-notifications, and Minor Formulation Amendments
 - h. 98-1 Self Certification of Product Chemistry Data with Attachments (This document is in PDF format and requires the Acrobat reader.)

Other PR Notices can be found at http://www.epa.gov/oppmsd1/PR_Notices

3. Pesticide Product Registration Application Forms (These forms are in PDF format and will require the Acrobat reader).
 - a. EPA Form No. 8570-1, Application for Pesticide Registration/Amendment
 - b. EPA Form No. 8570-4, Confidential Statement of Formula
 - c. EPA Form No. 8570-27, Formulator's Exemption Statement

- d. EPA Form No. 8570-34, Certification with Respect to Citations of Data
 - e. EPA Form No. 8570-35, Data Matrix
4. General Pesticide Information (Some of these forms are in PDF format and will require the Acrobat reader).
- a. Registration Division Personnel Contact List
 - b. Biopesticides and Pollution Prevention Division (BPPD) Contacts
 - c. Antimicrobials Division Organizational Structure/Contact List
 - d. 53 F.R. 15952, Pesticide Registration Procedures; Pesticide Data Requirements (PDF format)
 - e. 40 CFR Part 156, Labeling Requirements for Pesticides and Devices (PDF format)
 - f. 40 CFR Part 158, Data Requirements for Registration (PDF format)
 - g. 50 F.R. 48833, Disclosure of Reviews of Pesticide Data (November 27, 1985)

Before submitting your application for registration, you may wish to consult some additional sources of information. These include:

1. The Office of Pesticide Programs' website.
2. The booklet "General Information on Applying for Registration of Pesticides in the United States", PB92-221811, available through the National Technical Information Service (NTIS) at the following address:

National Technical Information Service (NTIS)
5285 Port Royal Road
Springfield, VA 22161

The telephone number for NTIS is (703) 605-6000.

3. The National Pesticide Information Retrieval System (NPIRS) of Purdue University's Center for Environmental and Regulatory Information Systems. This service does charge a fee for subscriptions and custom searches. You can contact NPIRS by telephone at (765) 494-6614 or through their website.
4. The National Pesticide Telecommunications Network (NPTN) can provide information on active ingredients, uses, toxicology, and chemistry of pesticides. You can contact NPTN by telephone at (800) 858-7378 or through their website: ace.orst.edu/info/nptn.

The Agency will return a notice of receipt of an application for registration or amended registration, experimental use permit, or amendment to a petition if the applicant or petitioner encloses with his submission a stamped, self-addressed postcard. The postcard must contain the following entries to be completed by OPP:

- Date of receipt;
- EPA identifying number; and
- Product Manager assignment.

Other identifying information may be included by the applicant to link the acknowledgment of receipt to the specific application submitted. EPA will stamp the date of receipt and provide the EPA identifying file symbol or petition number for the new submission. The identifying number should be used whenever you contact the Agency concerning an application for registration, experimental use permit, or tolerance petition.

To assist us in ensuring that all data you have submitted for the chemical are properly coded and assigned to your company, please include a list of all synonyms, common and trade names, company experimental codes, and other names which identify the chemical (including "blind" codes used when a sample was submitted for testing by commercial or academic facilities). Please provide a chemical abstract system (CAS) number if one has been assigned.

Documents Associated with this RED

The documents listed in Appendix C are part of the Administrative Record for this RED document and may be included in the EPA's Office of Pesticide Programs Public Docket. Copies of these documents may also be obtained by contacting the person listed on the respective Chemical Status Sheet.

Appendix H. Data Required to Support the Outdoor Uses of Chlormequat Chloride

241-74

1115 12000

3 800850

113



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Khalid H. Akkari
Regulatory Manager
BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709

NOV 15 2006

Subject: CYCOCEL Plant Growth Regulator
EPA Reg. No. 241-74
Amendment dated 6/16/04; resubmissions 12/15/05, 7/5/06 and 10/30/06
EPA Decision Number 345462

Dear Dr. Akkari:

The amended label referred to above that adds shadehouses and nurseries to the accepted uses, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act as amended, is acceptable provided the following change is made:

1. In the first paragraph of the section "Conditions of Sale and Warranty", change "All such risks shall be assumed by the Buyer." to "To the extent consistent with applicable law, all such risks shall be assumed by the Buyer."

In addition, you must submit the following conditional data to support the shadehouse and nursery uses before the due date of June 1, 2009:

1. Freshwater Fish Early Life Stage – Bluegill (72-4C, 850.1400)
2. Avian reproduction – Duck (71-4B, 850.2300)
3. Hydrolysis (161-1)
4. Photolysis in water (161-2)
5. Soil Metabolism – anaerobic (162-2)

In addition, the Agency may require that you submit the following conditional data:

6. Bobwhite quail reproduction study (71-4A, 850.2300) may be required later depending on the duck reproduction results.
7. Terrestrial field dissipation (164-1) may be required depending on results of the technical review of MRIDs 124060 and 137650 (DP333237).


One copy of the label stamped "Accepted with comments" is enclosed for your records. This label supersedes all labels previously accepted for this product. Please submit one copy of the final printed label that incorporates the required changes before the product is released for shipment.

EPA Reg. No. 241-74
CYCOCEL Plant Growth Regulator
Page 2 of 2

5/15

If you have any questions, please contact Robert Westin by phone at (703) 305-5721 or via email at westin.robert@epa.gov.

Sincerely,



Tony Kish
Product Manager (22)
Fungicide Branch
Registration Division (7505P)

Enclosure